

PUBLICATIONS:

1. Olson, E.N. and Smith, P.B. 1980. ATPase and adenylate cyclase distribution in skeletal muscle membranes. *FEBS Lett.* 111, 399-402.
2. Olson, E.N., Kelley, D.A. and Smith, P.B. 1981. Characterization of rat skeletal sarcolemma during the development of diabetes. *Exp. Neurol.* 73, 154-172.
3. Olson, E.N. and Smith, P.B. 1981. Characterization of insulin binding to skeletal muscle sarcolemma during the development of diabetes. *Exp. Neurol.* 74, 800-813.
4. Olson, E.N. 1981. Biochemical alterations in skeletal muscle membranes during the development of diabetes. Ph.D. Thesis, Wake Forest University.
5. Olson, E.N., Lathrop, B.K. and Glaser, L. 1982. Purification and cell-free translation of a unique high molecular weight form of the brain isozyme of creatine phosphokinase from mouse. *Biochem. Biophys. Res. Comm.* 108, 715-723.
6. Olson, E.N., Caldwell, K.C., Gordon, J.I. and Glaser, L. 1983. Regulation of creatine phosphokinase expression during differentiation of BC₃H1 cells. *J. Biol. Chem.* 258, 2644-2652.
7. Olson, E.N., Glaser, L., Merlie, J.P., Sebbane, R. and Lindstrom, J. 1983. Regulation of surface expression of acetylcholine receptors in response to serum and cell growth in the BC₃H1 muscle cell line. *J. Biol. Chem.* 258, 13946-13953.
8. Merlie, J.P., Sebbane, R., Gardner, S., Olson, E.N. and Lindstrom, J. 1983. The regulation of acetylcholine receptor expression in mammalian muscle. Cold Spring Harbor Symposium. *Molecular Neurobiology* 48, 135-146.
9. Olson, E.N., Glaser, L., Merlie, J.P. and Lindstrom, J. 1984. Expression of acetylcholine receptor α-subunit mRNA during differentiation of the BC₃H1 muscle cell line. *J. Biol. Chem.* 259, 3330-3336.
10. Merlie, J.P., Isenberg, K., Carlin, B. and Olson, E.N. 1984. Regulation of synthesis of acetylcholine receptors. In (J.W. Lamble and A.C. Abbott, Eds.) *Receptors*, Again. Elsevier Science Publishers, New York, pp. 186-191.
11. Olson, E.N., Glaser, L. and Merlie, J.P. 1984. Alpha and beta subunits of the nicotinic acetylcholine receptor contain covalently bound lipid. *J. Biol. Chem.* 259, 5364-5367.
12. Merlie, J.P., Isenberg, K., Carlin, B. and Olson, E.N. 1984. Regulation of synthesis of acetylcholine receptors. *Trends Pharmacol. Sci.* 5, 377-379.
13. Olson, E.N., Towler, D.A. and Glaser, L. 1985. Specificity of fatty acid acylation of cellular proteins. *J. Biol. Chem.* 260, 3784-3790.
14. Lathrop, B.K., Olson, E.N. and Glaser, L. 1985. Control by fibroblast growth factor of differentiation in the BC₃H1 muscle cell line. *J. Cell Biol.* 100, 1540-1547.
15. Olson, E.N. 1986. Structure, function and biosynthesis of fatty acid acylated proteins. In (A.W. Strauss, I. Boime and G. Kreil, eds.) *Protein Compartmentalization*, Springer-Verlag Publishers, New York, pp. 87-102.
16. Olson, E.N. and Spizz, G. 1986. Fatty acylation of proteins: Temporal and subcellular differences between palmitate and myristate acylation. *J. Biol. Chem.* 261, 2458-2466.
17. Spizz, G., Roman, D., Strauss, A. and Olson, E.N. 1986. Serum and fibroblast growth factor inhibit myogenic differentiation through a mechanism dependent on protein synthesis and independent of cell proliferation. *J. Biol. Chem.* 261, 9483-9488.
18. Olson, E.N. and Spizz, G. 1986. Mitogens and protein synthesis inhibitors induce ornithine decarboxylase gene transcription through separate mechanisms in the BC₃H1 muscle cell line. *Mol. Cell. Biol.* 6, 2792-2799.
19. Grant, S.R., Welply, J.K., Olson, E.N. and Lennarz, W.J. 1986. Oligosaccharyltransferase activity is markedly increased induced during differentiation of a nonfusing myoblast cell line. *Arch. Biochem. Biophys.* 248, 424-428.
20. Olson, E.N., Sternberg, E., Hu, J.-S., Spizz, G. and Wilcox, C.A. 1986. Regulation of myogenic differentiation by type beta transforming growth factor. *J. Cell Biol.* 103, 1799-1805.

21. Wilcox, C.A. and Olson, E.N. 1987. The majority of cellular fatty acylated proteins are localized to the cytoplasmic surface of the plasma membrane. *Biochemistry* 26, 1029-1036.
22. Schneider, M.D., Perryman, M.B., Payne, P.A., Spizz, G., Roberts, R. and Olson, E.N. 1987. Autonomous expression of c-myc in BC₃H1 cells partially inhibits but does not prevent myogenic differentiation. *Mol. Cell. Biol.* 7, 1973-1977.
23. Olson, E.N., Spizz, G. and Tainsky, M.A. 1987. The oncogenic forms of N-ras or H-ras prevent skeletal myoblast differentiation. *Mol. Cell. Biol.* 7, 2104-2111.
24. Spizz, G., Hu, J.-S. and Olson, E.N. 1987. Inhibition of myogenic differentiation by fibroblast growth factor or type beta transforming growth factor does not require persistent c-myc expression. *Developmental Biology* 123, 500-507.
25. Payne, P.A., Olson, E.N., Hsiau, P., Roberts, R., Perryman, M.B. and Schneider, M.D. 1987. A mutationally activated c-Ha-ras allele blocks the induction of muscle-specific genes in BC₃H1 cells following mitogen withdrawal. *Proc. Natl. Acad. Sci. USA* 84, 8956-8960.
26. Wilcox, C.A., Hu, J.-S. and Olson, E.N. 1987. Acylation of proteins with myristic acid occurs cotranslationally. *Science* 238, 1275-1278.
27. Schneider, M.D. and Olson, E.N. 1988. Control of myogenic differentiation by cellular oncogenes. *Mol. Neurobiol.* 2, 1-39.
28. Ewton, D.Z., Spizz, G., Olson, E.N. and Florini, J.R. 1988. Decrease in transforming growth factor-beta binding and action during differentiation in muscle cells. *J. Biol. Chem.* 263, 4029-4032.
29. Sternberg, E.A., Spizz, G., Perry, W.M., Vizard, D., Weil, T. and Olson, E.N. 1988. Identification of upstream and intragenic regulatory elements that confer cell-type-restricted and differentiation-specific expression on the muscle creatine kinase gene. *Mol. Cell. Biol.* 8, 2896-2909.
30. Stallings, R.L., Olson, E.N., Strauss, A.W., Thompson, L.H., Bachinsky, L.L. and Siciliano, M.J. 1988. Human creatine kinase genes on chromosomes 15 and 19, and proximity of the gene for the muscle form to the genes for apolipoprotein C2 and excision repair. *Am. J. Human Genet.* 43, 144-151.
31. Gossett, L.A., Zhang, W. and Olson, E.N. 1988. Dexamethasone-dependent inhibition of differentiation of C2 myoblasts bearing steroid-inducible N-ras oncogenes. *J. Cell Biol.* 106, 2127-2137.
32. Olson, E.N. 1988. Modification of proteins with covalent lipids. *Prog. Lipid Res.* 27, 177-197.
33. Hu, J.-S. and Olson, E.N. 1988. Regulation of differentiation of the BC₃H1 muscle cell line through cAMP-dependent and -independent pathways. *J. Biol. Chem.* 263, 19670-19677.
34. Hu, J.-S., James, G. and Olson, E.N. 1988. Protein fatty acylation: a novel mechanism for association of proteins with membranes and its role in transmembrane regulatory pathways. *BioFactors* 1, 219-226.
35. Olson, E.N. 1988. Regulation of myogenic differentiation by polypeptide growth factors and oncogenes. *Cancer Bull.* 40, 304-309.
36. Sternberg, E.A., Spizz, G., Perry, M.E. and Olson, E.N. 1989. A ras-dependent pathway abolishes activity of a muscle-specific enhancer upstream from the muscle creatine kinase gene. *Mol. Cell. Biol.* 9, 594-601.
37. Edmondson, D.G. and Olson, E.N. 1989. A gene with homology to the myc similarity region of MyoD1 is expressed during myogenesis and is sufficient to activate the muscle differentiation program. *Genes & Development* 3, 628- 640.
38. Olson, E.N. and Capetanaki, Y.G. 1989. Developmental regulation of intermediate filament and actin mRNAs during myogenesis is disrupted by mutationally activated ras oncogenes. *Oncogene* 4, 907-913.
39. Gossett, L.A., Kelvin, D.J., Sternberg, E.A. and Olson, E.N. 1989. A new myocyte-specific enhancer-binding factor that recognizes a conserved element associated with multiple muscle-specific genes. *Mol. Cell. Biol.* 9, 5022-5033.
40. James, G. and Olson, E.N. 1989. Identification of a novel fatty acylated protein that partitions between the plasma

membrane and cytosol and is deacylated in response to serum growth factor stimulation. *J. Biol. Chem.* 264, 20998-21006.

41. James, G. and Olson, E.N. 1989. Myristoylation, phosphorylation, and subcellular distribution of the 80-kDa protein kinase C substrate in BC₃H1 myocytes. *J. Biol. Chem.* 264, 20928-20933.
42. Olson, E.N. and James, G. 1989. The biology of lipid-containing membrane proteins. In (J.A.F. OpdenKamp, ed.) *Dynamics and Biogenesis of Membranes*, NATO ASI Series, Vol. H40, Springer-Verlag, New York, pp. 15-27.
43. Olson, E.N., Edmondson, D. and Sternberg, E. 1989. Regulation of a muscle-specific enhancer by growth factors and oncogenes. In (R. Roberts and M.D. Schneider, eds.) *Molecular Biology of the Cardiovascular System*, UCLA Symposia on Molecular and Cellular Biology, New Series, Vol 131, Wiley-Liss, Inc., New York, pp. 135-142.
44. Li, L., Hu, J.-S. and Olson, E.N. 1990. Different members of the jun proto-oncogene family exhibit distinct patterns of expression in response to type beta transforming growth factor. *J. Biol. Chem.* 265, 1556-1562.
45. James, G. and Olson, E.N. 1990. Fatty acylated proteins as components of intracellular signaling pathways. *Biochemistry* 29, 2623-2634.
46. Hu, J.-S. and Olson, E.N. 1990. Functional receptors for transforming growth factor beta are retained by biochemically differentiated C2 myocytes in growth factor-deficient medium containing EGTA but down-regulated during terminal differentiation. *J. Biol. Chem.* 265, 7914-7919.
47. Hamburg, R.J., Friedman, D.L., Olson, E.N., Ma, T.S., Cortez, M.D., Goodman, C., Puleo, P.R. and Perryman, M.B. 1990. Muscle creatine kinase isoenzyme expression in adult human brain. *J. Biol. Chem.* 265, 6403-6409.
48. Brennan, T.J., Edmondson, D.G. and Olson, E.N. 1990. Aberrant regulation of MyoD1 contributes to the partially defective myogenic phenotype of BC₃H1 cells. *J. Cell Biol.* 110, 929-938.
49. Scales, J., Olson, E.N. and Perry, M. 1990. Two distinct Xenopus genes with homology to MyoD1 are expressed before somite formation in early embryogenesis. *Mol. Cell. Biol.* 10, 1516-1524.
50. Brennan, T.J. and Olson, E.N. 1990. Myogenin resides in the nucleus and acquires high affinity for a conserved enhancer element on heterodimerization. *Genes & Development* 4, 582-595.
51. Olson, E.N. 1990. MyoD family, a paradigm for development? *Genes & Development* 4, 1454-1461.
52. Olson, E.N., Edmondson, D., Wright, W.E., Lin, V.K., Guenet, J.-L., Simon-Chazottes, D., Thompson, L.H., Stallings, R.L., Schroeder, W.T., Duvic, M., Brock, D., Helin, D. and Siciliano, M.J. 1990. Myogenin is an evolutionarily conserved linkage group on human chromosome 1q31-1q41 and unlinked to other mapped muscle regulatory factor genes. *Genomics* 8, 427-434.
53. Saitoh, O., Olson, E.N. and Periasamy, M. 1990. Muscle-specific RNA processing continues in the absence of myogenin expression. *J. Biol. Chem.* 265, 19381-19384.
54. James, G. and Olson, E.N. 1990. Experimental approaches to the study of reversible protein fatty acylation in mammalian cells. *METHODS: A Companion to Methods in Enzymology* 1, 270-275.
55. Chakraborty, T., Brennan, T. and Olson, E.N. 1991. Differential trans-activation of a muscle-specific enhancer by myogenic helix-loop-helix proteins is separable from DNA binding. *J. Biol. Chem.* 266, 2878-2882.
56. Olson, E.N., Brennan, T.J., Chakraborty, T., Cheng, T.-C., Cserjesi, P., Edmondson, D., James, G. and Li, L. 1991. Molecular control of myogenesis: Antagonism between growth and differentiation. Proceedings of the Geisinger Symposium, *Mol. Cell. Biochem.* 104, 7-13.
57. Brennan, T.J., Edmondson, D.G., Li, Li and Olson, E.N. 1991. Transforming growth factor-beta represses the actions of myogenin through a mechanism independent of DNA binding. *Proc. Natl. Acad. Sci. USA* 88, 3822-3826.
58. French, B.A., Chow, K.-L., Olson, E.N. and Schwartz, R.J. 1991. Heterodimers of myogenic helix-loop-helix regulatory factors and E12 bind a complex element governing myogenic induction of the avian cardiac-actin promoter. *Mol. Cell. Biol.* 11, 2439-2450.
59. Brennan, T.J., Chakraborty, T. and Olson, E.N. 1991. Mutagenesis of the myogenin basic region identifies an

- ancient protein motif critical for activation of myogenesis. *Proc. Natl. Acad. Sci. USA* 88, 5675-5679.
- 60. Chakraborty, T., Brennan, T.J., Li, L., Edmondson, D.G. and Olson, E.N. 1991. Inefficient homooligomerization contributes to the dependence of myogenin on E2A products for efficient DNA binding. *Mol. Cell. Biol.* 11, 3633-3641.
 - 61. Venuti, J.M., Goldberg, L., Chakraborty, T., Olson, E.N. and Klein, W.H. 1991. A myogenic factor from sea urchin embryos capable of programming muscle differentiation in mammalian cells. *Proc. Natl. Acad. Sci. USA* 88, 6219-6223.
 - 62. Edmondson, D.G., Brennan, T.J. and Olson, E.N. 1991. Mitogenic repression of myogenin autoregulation. *J. Biol. Chem.* 266, 21343-21346.
 - 63. Scales, J.B., Olson, E.N. and Perry, M. 1991. Differential expression of two distinct *MyoD* genes in *Xenopus*. *Cell Growth Differ.* 2, 619-629.
 - 64. Cserjesi, P. and Olson, E.N. 1991. Myogenin induces muscle-specific enhancer binding factor MEF-2 independently of other muscle-specific gene products. *Mol. Cell. Biol.* 11, 4854-4862.
 - 65. Chakraborty, T. and Olson, E.N. 1991. Domains outside of the DNA-binding domain impart target gene specificity to myogenin and MRF4. *Mol. Cell. Biol.* 11, 6103-6108.
 - 66. Schwarz, J.J., Chakraborty, T., Martin, J., Zhou, J. and Olson, E.N. 1992. The basic region of myogenin cooperates with two transcription activation domains to induce muscle-specific transcription. *Mol. Cell. Biol.* 12, 266-275.
 - 67. Olson, E.N. and Perry, W.M. 1992. MyoD and the paradoxes of myogenesis. *Curr. Biol.* 2, 35-37.
 - 68. James G. and Olson, E.N. 1992. Deletion of the regulatory domain of protein kinase C exposes regions in the hinge and catalytic domains that mediate nuclear targeting. *J. Cell Biol.* 116, 863-874.
 - 69. Li, Li and Olson, E.N. 1992. Regulation of muscle cell growth and differentiation by the MyoD family of helix-loop-helix proteins. In (G. Vande Woude and G. Klein, eds.) *Advances in Cancer Research*, Vol. 58, Academic Press, Inc., New York, pp. 95-119.
 - 70. Hu, J.-S., Olson, E.N. and Kingston, R.E. 1992. HEB, a helix-loop-helix protein related to E2A and ITF2 that can modulate the DNA-binding ability of myogenic regulatory factors. *Mol. Cell. Biol.* 12, 1031-1042.
 - 71. Li, L., Chambard, J.-C., Karin, M. and Olson, E.N. 1992. Fos and Jun repress transcriptional activation by myogenin and MyoD: the amino terminus of Jun can mediate repression. *Genes & Development* 6, 676-689.
 - 72. Olson, E.N. 1992. Proto-oncogenes in the regulatory circuit for myogenesis. *Semin. Cell Biol.* 3, 127-136.
 - 73. Martin, J.F., Li, L. and Olson, E.N. 1992. Repression of myogenin function by TGF beta-1 is targeted at the basic helix-loop-helix motif and is independent of E2A products. *J. Biol. Chem.* 267, 10956-10960.
 - 74. Chakraborty, T., Martin, J.F. and Olson, E.N. 1992. Analysis of the oligomerization of myogenin and E2A products *in vivo* using a two-hybrid assay system. *J. Biol. Chem.* 267, 17498-17501.
 - 75. Chakraborty, T. and Olson, E.N. 1992. Myogenin and the control of muscle-specific gene expression. In (A.M. Kelly and H.M. Blau, eds.) *Neuromuscular Development and Disease*, Vol. 2, Series on Molecular and Cellular Biology, Raven Press, Ltd., New York, pp. 17-28.
 - 76. Edmondson, D.G., Cheng, T.-C., Cserjesi, P., Chakraborty, T. and Olson, E.N. 1992. Analysis of the myogenin promoter reveals an indirect pathway for positive autoregulation mediated by the muscle-specific enhancer factor MEF-2. *Mol. Cell. Biol.* 12, 3665-3677.
 - 77. Cserjesi, P., Lilly, B., Bryson, L., Wang, Y., Sasoon, D.A. and Olson, E.N. 1992. MHox: a mesodermally-restricted homeodomain protein that binds an essential site in the muscle creatine kinase enhancer. *Development* 115, 1087-1101.
 - 78. Olson, E.N. 1992. Regulatory mechanisms for skeletal muscle differentiation and their relevance to gene expression in the heart. *Trends Cardiovasc. Med.* 2, 163-170.
 - 79. Li, L., Heller-Harrison, R., Czech, M. and Olson, E.N. 1992. Cyclic AMP-dependent protein kinase inhibits the

- activity of myogenic helix-loop-helix proteins. *Mol. Cell. Biol.* 12, 4478-4485.
80. Olson, E.N. 1992. Interplay between proliferation and differentiation within the myogenic lineage. *Developmental Biology* 154, 261-272.
81. Olson, E.N. 1992. Regulation of muscle transcription by the MyoD family: The heart of the matter. *Circ. Res.* 72, 1-6.
82. Cheng, T.-C., Hanley, T.A., Mudd, J., Merlie, J.P. and Olson, E.N. 1992. Mapping of myogenin transcription during embryogenesis using transgenes linked to the myogenin control region. *J. Cell Biol.* 119, 1649-1656.
83. Li, L., Zhou, J., James, G., Heller-Harrison, R., Czech, M. and Olson, E.N. 1992. FGF inactivates myogenic helix-loop-helix proteins through phosphorylation of a conserved protein kinase C site in their DNA binding domains. *Cell* 71, 1181-1194.
84. Edmondson, D.G. and Olson, E.N. 1993. Helix-loop-helix proteins as regulators of muscle-specific transcription. *J. Biol. Chem.* 268, 755-758.
85. Staudinger, J., Perry, M., Elledge, S.J. and Olson, E.N. 1993. Interactions among vertebrate helix-loop-helix proteins in yeast using the two-hybrid system. *J. Biol. Chem.* 268, 4608-4611.
86. Adolph, E.A., Subramaniam, A., Cserjesi, P., Olson, E.N. and Robbins, J. 1993. Role of myocyte-specific enhancer-binding factor (MEF-2) in transcriptional regulation of the cardiac myosin heavy chain gene. *J. Biol. Chem.* 268, 5349-5352.
87. Olson, E.N. 1993. Activation of muscle-specific transcription by myogenic helix-loop-helix proteins. In (A. El Haj, ed.) Molecular Biology of Muscle. Symposia of the Society for Experimental Biology, Number 46. The Company of Biologists Limited, Cambridge, England, pp. 331-341.
88. Martin, J.F., Schwarz, J.J. and Olson, E.N. 1993. Myocyte enhancer factor (MEF) 2C: A tissue-restricted member of the MEF-2 family of transcription factors. *Proc. Natl. Acad. Sci. USA* 90, 5282-5286.
89. Cheng, T.-C., Wallace, M., Merlie, J.P. and Olson, E.N. 1993. Separable regulatory elements govern myogenin transcription in embryonic somites and limb buds. *Science* 261, 215-218.
90. Hasty, P., Bradley, A., Morris, J.H., Edmondson, D.G., Venuti, J.M., Olson, E.N. and Klein, W.H. 1993. Muscle deficiency and neonatal death in mice with a targeted mutation in the myogenin gene. *Nature* 364, 501-506.
91. Taylor, D.A., Kraus, V.B., Schwarz, J.J., Olson, E.N. and Kraus, W.E. 1993. E1A-mediated inhibition of myogenesis correlates with a direct physical interaction of E1A_{12S} and basic-helix-loop-helix proteins. *Mol. Cell. Biol.* 13, 4714-4727.
92. Olson, E.N., Burgess, R. and Staudinger, J. 1993. Protein kinase C as a transducer of nuclear signals. *Cell Growth Differ.* 4, 699-705.
93. Schwarz, J.J., Martin, J.F. and Olson, E.N. 1993. Transcription factors controlling muscle-specific gene expression. In (M. Karin, ed.) Gene Expression: General and Cell-Type Specific. Birkhäuser Boston, pp. 93-115.
94. Downes, M., Griggs, R., Atkins, A., Olson, E.N. and Muscat, G.E.O. 1993. Identification of a thyroid hormone response element in the mouse myogenin gene: Characterization of the thyroid hormone and retinoid X receptor heterodimeric binding site. *Cell Growth Differ.* 4, 901-909.
95. Olson, E.N. 1993. Signal transduction pathways that regulate skeletal muscle gene expression. *Mol. Endocrinol.* 7, 1369-1378.
96. Leibham, D., Wong, M.-W., Cheng, T.-C., Schroeder, S., Weil, P.A., Olson, E.N. and Perry, M. 1994. Binding of TFIID and MEF2 to the TATA element activates transcription of the Xenopus MyoDa promoter. *Mol. Cell. Biol.* 14, 686-699.
97. Merlie, J.P., Mudd, J., Cheng, T.-C. and Olson, E.N. 1994. Myogenin and acetylcholine receptor gene promoters mediate transcriptional regulation in response to motor innervation. *J. Biol. Chem.* 269, 1-7.
98. Olson, E.N. and Klein, W.H. 1994. bHLH factors in muscle development: Dead lines and commitments, what to

- leave in and what to leave out. *Genes & Dev.* 8, 1-8.
99. Kuratani, S., Martin, J.F., Wawersik, S., Lilly, B., Eichele, G. and Olson, E.N. 1994. The expression pattern of the chick homeobox gene gMHOX suggests a role in patterning of the limbs and face and in compartmentalization of somites. *Developmental Biology* 161, 357-369.
 100. Martin, J.F., Miano, J.M., Hustad, C.M., Copeland, N.G., Jenkins, N.A. and Olson, E.N. 1994. A Mef2 gene that generates a muscle-specific isoform via alternative mRNA splicing. *Mol. Cell. Biol.* 14, 1647-1656.
 101. Parmacek, M.S., Ip, H., Jung, F., Shen, T., Martin, J.F., Vora, A.J., Olson, E.N. and Leiden, J.M. 1994. A novel myogenic regulatory circuit controls slow/cardiac troponin C gene transcription in skeletal muscle. *Mol. Cell. Biol.* 14, 1870-1885.
 102. Edmondson, D.G., Lyons, G.E., Martin, J.F. and Olson, E.N. 1994. MEF2 gene expression marks the cardiac and skeletal muscle lineages during mouse embryogenesis. *Development* 120, 1251-1263.
 103. Lilly, B., Galewsky, S., Firulli, A.B., Schulz, R.A. and Olson, E.N. 1994. D-MEF2: A MADS box transcription factor expressed in differentiating mesoderm and muscle cell lineages during *Drosophila* embryogenesis. *Proc. Natl. Acad. Sci. USA* 91, 5662-5666.
 104. Cserjesi, P., Lilly, B., Hinkley, C., Perry, M. and Olson, E.N. 1994. Homeodomain protein MHOX and MADS protein myocyte enhancer-binding factor-2 converge on a common element in the muscle creatine kinase enhancer. *J. Biol. Chem.* 269, 16740-16745.
 105. Zhou, J. and Olson, E.N. 1994. Dimerization through the helix-loop-helix motif enhances phosphorylation of the transcription activation domains of myogenin. *Mol. Cell. Biol.* 14, 6232-6243.
 106. Olson, E.N. and Rosenthal, N. 1994. Homeobox genes and muscle patterning. *Cell* 79, 9-12.
 107. Miano, J.M., Cserjesi, P., Ligon, K.L., Periasamy, M. and Olson, E.N. 1994. Smooth muscle myosin heavy chain exclusively marks the smooth muscle lineage during mouse embryogenesis. *Circ. Res.* 75, 803-812.
 108. Olson, E.N., Martin, J.F. and Schneider, M.D. 1995. Basic Aspects of Myocardial Function, Growth, and Development: Normal Growth and Development. In (J.T. Willerson and J.N. Cohn, eds.) *Cardiovascular Medicine*. Churchill Livingstone Inc., New York, pp. 741-751.
 109. Staudinger, J., Zhou, J., Burgess, R., Elledge, S.J. and Olson, E.N. 1995. PICK1: A perinuclear binding protein and substrate for protein kinase C located by the yeast two-hybrid system. *J. Cell Biol.* 128, 263-271.
 110. Lilly, B., Zhao, B., Ranganayakulu, G., Paterson, B.M., Schulz, R.A. and Olson, E.N. 1995. Requirement of MADS domain transcription factor D-MEF2 for muscle formation in *Drosophila*. *Science* 267, 688-693.
 111. Cheng, T.-C., Tseng, B.S., Merlie, J.P., Klein, W.H. and Olson, E.N. 1995. Activation of the myogenin promoter during mouse embryogenesis in the absence of positive autoregulation. *Proc. Natl. Acad. Sci. USA* 92, 561-565.
 112. Cserjesi, P., Brown, D., Ligon, K.L., Lyons, G., Copeland, N.G., Gilbert, D.J., Jenkins, N.A. and Olson, E.N. 1995. Scleraxis: A basic-helix-loop-helix protein that prefigures skeletal formation during mouse embryogenesis. *Development* 121, 1099-1110.
 113. Black, B.L., Martin, J.F. and Olson, E.N. 1995. The mouse MRF4 promoter is trans-activated directly and indirectly by muscle-specific transcription factors. *J. Biol. Chem.* 270, 2889-2892.
 114. Venuti, J.M., Morris, J.S., Vivian, J.L., Olson, E.N. and Klein, W.H. 1995. Myogenin is required for late but not early aspects of myogenesis during mouse development. *J. Cell Biol.* 128, 563-576.
 115. Parker, S., Eichele, G., Zhang, P., Rawls, A., Sands, A.T., Bradley, A., Olson, E.N., Harper, J.W. and Elledge, S.J. 1995. p53-independent expression of p21^{Cip1} in muscle and other terminally differentiating cells. *Science* 267, 1024-1027.
 116. Burgess, R., Cserjesi, P., Ligon, K.L. and Olson, E.N. 1995. Paraxis: A basic helix-loop-helix protein expressed in paraxial mesoderm and developing somites. *Dev. Biol.* 168, 296-306.
 117. Blank, R.S., Swartz, E.A., Thompson, M.M., Olson, E.N. and Owens, G.K. 1995. A retinoic acid-induced clonal

cell line derived from multipotential P19 embryonal carcinoma cells expresses smooth muscle characteristics. *Circ. Res.* 76, 742-749.

118. Martin, J.F., Bradley, A. and Olson, E.N. 1995. The paired-like homeobox gene MHOX is required for early events of skeletogenesis in multiple lineages. *Genes & Development* 9, 1237-1249.
119. Zhang, W., Behringer, R.R. and Olson, E.N. 1995. Inactivation of the myogenic bHLH gene MRF4 results in upregulation of myogenin and rib anomalies. *Genes & Development*. 9, 1388-1399.
120. Cserjesi, P., Brown, D., Lyons, G.E. and Olson, E.N. 1995. Expression of the novel basic-helix-loop-helix gene eHAND in neural crest derivatives and extraembryonic membranes during mouse development. *Developmental Biology* 170, 664-678.
121. Ranganayakulu, G., Zhao, B., Dokidis, A., Molkentin, J.D., Olson, E.N. and Schulz, R.A. 1995. A series of mutations in the D-MEF2 transcription factor reveals multiple functions in larval and adult myogenesis in *Drosophila*. *Developmental Biology* 171, 169-181.
122. Lyons, G.E., Micale, B.K., Schwarz, J., Martin, J.F. and Olson, E.N. 1995. Expression of mef2 genes in the mouse central nervous system suggests a role in neuronal maturation. *J. Neurosci.* 15, 5727-5738.
123. Olson, E.N., Perry, M. and Schulz, R.A. 1995. Regulation of muscle differentiation by the MEF2 family of MADS box transcription factors. *Developmental Biology* 172, 2-14.
124. Rawls, A., Morris, J.H., Rudnicki, M., Braun, T., Arnold, H.H., Klein, W.F. and Olson, E.N. 1995. Myogenin's functions do not overlap with those of MyoD or Myf-5 during mouse embryogenesis. *Developmental Biology* 172, 37-50.
125. Li, L., Cserjesi, P. and Olson, E.N. 1995. Dermo-1: a novel twist-related bHLH protein expressed in the developing dermis. *Developmental Biology* 172, 280-292.
126. Srivastava, D., Cserjesi, P. and Olson, E.N. 1995. New subclass of bHLH proteins required for cardiac morphogenesis. *Science* 270, 1995-1999.
127. Molkentin, J.D., Black, B.L., Martin, J.F. and Olson, E.N. 1995. Cooperative activation of muscle gene expression by MEF2 and myogenic bHLH proteins. *Cell* 83, 1125-1136.
128. Li, L., Miano, J.M., Mercer, B. and Olson, E.N. 1996. Expression of the SM22 promoter in transgenic mice provides evidence for distinct transcriptional regulatory programs in vascular and visceral smooth muscle cells. *J. Cell Biol.* 132, 849-859.
129. Firulli, A.B., Miano, J.M., Bi, W., Johnson, D., Olson, E.N., Casscells, W. and Schwarz, J. 1996. Myocyte enhancer binding factor-2 expression and activity in vascular smooth muscle cells: association with the activated phenotype. *Circ. Res.* 78, 196-204.
130. Li, L., Miano, J.M., Cserjesi, P. and Olson, E.N. 1996. SM22, a marker of adult smooth muscle, is expressed in multiple myogenic lineages during embryogenesis. *Circ. Res.* 78, 188-195.
131. Miano, J.M., Firulli, A.B., Olson, E.N., Hara, P., Giachelli, C.M. and Schwartz, S.M. 1996. Restricted expression of homeobox genes distinguishes fetal from adult human smooth muscle cells. *Proc. Natl. Acad. Sci. USA*, 93, 900-905.
132. Miano, J.M. and Olson, E.N. 1996. Expression of the smooth muscle cell calponin gene marks the early cardiac and smooth muscle cell lineages during mouse embryogenesis. *J. Biol. Chem.* 271, 7095-7103.
133. Miano, J.M., Topouzis, S., Majesky, M.W. and Olson, E.N. 1996. Retinoid receptor expression and all-trans-retinoic acid-mediated growth inhibition in vascular smooth muscle cells. *Circulation* 93, 1886-1895.
134. Olson, E.N. 1998. Muscle development and differentiation. In Principles of Molecular Medicine (ed, Jameson, L.). Humana Press, Totowa, N. J. 841-849.
135. Olson, E.N., Arnold, H.H., Rigby, P.W.J. and Wold, B.J. 1996. Know your neighbors: Three phenotypes in null mutants of the myogenic bHLH gene MRF4. *Cell* 85, 1-4.

136. Ranganayakulu, G., Schulz, R.A. and Olson, E.N. 1996. Wingless signalling induces nautilus expression in the ventral mesoderm of the *Drosophila* embryo. *Developmental Biology* 176, 143-148.
137. Molkentin, J.D., Black, B.L., Martin, J.F. and Olson, E.N. 1996. Mutational analysis of the DNA binding, dimerization, and transcriptional activation of MEF2C. *Mol. Cell. Biol.* 16, 2627-2636.
138. Olson, E.N., Srivastava, D. 1996. Molecular pathways controlling heart development. *Science* 272, 671-676.
139. Brennan, T.J., Olson, E.N., Klein, W.H. and Winslow, J.W. 1996. Extensive motor neuron survival in the absence of secondary skeletal muscle fiber formation. *J. Neurosci. Res.* 45, 57-68.
140. Molkentin, J., Firulli, A., Black, B., Lyons, G., Edmondson, D., Hustad, C.M., Copeland, N. Jenkins, N. and Olson, E.N. 1996. MEF2B is a potent transactivator expressed in early myogenic lineages. *Mol. Cell. Biol.* 16, 3814-3824.
141. Schulz, R. A., Chromey, C., Lu, M-F., Zhao, B. and Olson, E.N. 1996. Expression of the D-MEF2 transcription factor in the *Drosophila* brain suggests a role in neuronal cell differentiation. *Oncogene* 12, 1827-1831.
142. Molkentin, J., Li, L. and Olson, E.N. 1996. Phosphorylation of the MADS-box transcription factor MEF2C enhances its DNA binding activity. *J. Biol. Chem.* 271, 17199-17204.
143. Olson, E.N., Brown, D., Burgess, R. and Cserjesi, P. 1996. A new subclass of helix-loop-helix transcription factors expressed in paraxial mesoderm and chondrogenic cell lineages. (B. DeCrombrughe, W. A. Horton, B. R. Olsen, and F. Ramirez, eds.), In: Molecular and Developmental Biology of Cartilage, Annals of the New York Academy of Sciences, 785:108-118.
144. Molkentin, J. and Olson, E.N. 1996. Combinatorial control of muscle development by bHLH and MADS-box transcription factors. *Proc. Natl. Acad. Sci. USA* 93, 9366-9373.
145. Molkentin, J. and Olson, E.N. 1996. Defining the regulatory networks for muscle development. 1996. *Curr. Opin. Gen. Dev.* 6, 445-453.
146. Srivastava, D. and Olson, E.N. 1996. Neurotrophin-3 knocks the heart off Trk. *Nature Med.* 2, 1069-1071.
147. Black, B.L., Ligon, K.L., Zhang, Y. and Olson, E.N. 1996. Cooperative transcriptional activation by the neurogenic bHLH protein MASH1 and members of the MEF2 family. *J. Biol. Chem.* 271, 26659-26663.
148. Wang, J-M., Zheng, H., Sugahara, Y., Tan, J., Yao, S-N., Olson, E.N. and Kurachi, K. 1996. Construction of human factor IX expression vectors in retroviral vector frames for optimal production in muscle cells. *Human Gene Therapy* 7, 1743-1756.
149. Garcia-Martinez, V., Darnell, D.K., Sosic, D., Olson, E.N. and Schoenwolf, G.C. 1996. State of commitment of prospective neural plate and prospective mesoderm in late gastrula/early neurula stages of avian embryos, *Developmental Biology* 181, 102-115.
150. Fuchs, E. and Olson, E.N. 1996. Cell differentiation: Editorial Overview. *Curr. Opin. In Cell Biol.* 8, 823-825.
151. Moss, J.B., Olson, E.N. and Schwartz, R.J. 1996. The myogenic regulatory factor MRF4 represses the cardiac alpha-actin promoter through a negative acting N-terminal protein domain. *J. Biol. Chem.* 271, 31688-31694.
152. Liu, Y., Cserjesi, P., Nifuji, A., Olson, E.N. and Noda, M. 1996. Sclerotome related helix-loop-helix type transcription factor, scleraxis, is expressed in osteoblasts and its level is enhanced by TGF beta. *J. Endocrinology* 151, 491-499.
153. Burgess, R., Rawls, A., Brown, D., Bradley, A. and Olson, E.N. 1996. Requirement of the *paraxis* gene for somite epithelialization and musculoskeletal patterning. *Nature* 384, 570-574.
154. Gajewski, K., Kim, Y., Lee, Y.M., Olson, E.N. and Schulz, R.A. 1997. *D-Mef2*: A target for tinman activation during *Drosophila* heart development. *EMBO J.* 16, 515-522.
155. Rawls, A.J. and Olson, E.N. 1997. MyoD meets its maker. *Cell* 89, 5-8.
156. Olson, E.N. 1997. Things are developing in cardiology. *Circ. Res.* 80, 604-606.
157. Black, B.L., Lu, J. and Olson, E.N. 1997. The MEF2A 3'-untranslated region functions as a *cis*-acting translational

- repressor. *Mol. Cell. Biol.* 17, 2756-2763.
- 158. Myer, A., Wagner, D.S., Vivian, J.L., Olson, E.N. and Klein, W.H. 1997. Myogenin-null myoblasts fuse with wild type myoblasts *in vivo*. *Developmental Biology* 185, 127-138.
 - 159. Srivastava, D., Thomas, T., Lin, Q. and Olson, E.N. 1997. Regulation of cardiac mesodermal and neural crest development by the bHLH transcription factor, dHAND. *Nature Genetics* 16, 154-160.
 - 160. Molkentin, J., Lin, Q., Duncan, S.A. and Olson, E.N. 1997. Requirement of the GATA4 transcription factor for heart tube formation and ventral morphogenesis. *Genes & Development* 11, 1061-1072.
 - 161. Lin, Q., Schwarz, J., Buchana, C. and Olson, E.N. 1997. Control of mouse cardiac morphogenesis and myogenesis by the myogenic transcription factor MEF2C. *Science* 276, 1404-1407.
 - 162. Susic, D., Brand-Saberi, B., Martin, J.F., Christ, B. and Olson, E.N. 1997. Regulation of *paraxis* expression and somite formation by ectoderm- and neural tube-derived signals. *Developmental Biology* 185, 229-243.
 - 163. Yoon, J.K., Olson, E.N., Arnold, H-H. and Wold, B.J. 1997. Different *MRF4* knockout alleles differentially disrupt *myf-5* expression: *cis*-regulatory interactions at the *MRF4/myf-5* locus. *Developmental Biology* 188, 349-362.
 - 164. Reecy, J.M., Cummings, K., Yamada, M., Susic, D., Chen, C-Y., Eichele, E. G., Olson, E.N. and Schwartz, R.J. 1997. Chicken Nkx2-8: a novel homeobox gene expressed in early heart progenitor cells and pharyngeal pouch-2-3 and -4 endoderm. *Developmental Biology* 188, 295-311.
 - 165. Li, L., Liu, Z-C., Mercer, M., Overbeek, P. and Olson, E.N. 1997. Evidence for serum response factor-mediated regulatory networks governing SM22 transcription in smooth, skeletal and cardiac muscle cells. *Developmental Biology* 187, 311-321.
 - 166. Harris AN. Ruiz-Lozano P. Chen YF. Sionit P. Yu YT. Lilly B., Olson EN. Chien KR. 1997. A novel A/T- rich element mediates ANF gene expression during cardiac myocyte hypertrophy. *J. Mol. Cell. Cardiol.* 29, 515-525.
 - 167. Firulli, A.B. and Olson, E.N. 1997. Modular regulation of muscle gene transcription: A mechanism for muscle cell diversity. *Trends in Genetics* 13, 364-369.
 - 168. Fishman, M.C. and Olson, E.N. 1997. Parsing the Heart: Genetic modules for organ assembly. *Cell* 91, 153- 156.
 - 169. Srivastava, D. and Olson, E.N. 1997. Knowing in your heart what's right. *Trends in Cell Biol.* 7, 447-453.
 - 170. Miano, J.M., Krahe, R., Garcia E., Elliott, J.M. and Olson, E.N. 1997. Expression, genomic structure and high resolution mapping to 19p13.2 of the human smooth muscle cell calponin gene. *Gene* 197, 215-224.
 - 171. Rao, R.S., Miano, J.M., Olson, E.N. and Seidel, C.L. 1997. The A10 cell line: a model for neonatal, neointimal, or differentiated vascular smooth muscle cells? *Cardiovasc. Res.* 36, 118-126.
 - 172. Hautmann, M.B., Thompson, M.M., Schwartz, E.A., Olson, E.N. and Owens, G.K. 1997. Angiotensin II-induced stimulation of SM alpha-actin expression by serum response factor and the homeodomain transcription factor MHox. *Circ. Res.* 81, 600-610.
 - 173. Black, B.L., Molkentin, J.D. and Olson, E.N. 1997. Multiple roles for the MyoD basic region in transmission of transcriptional activation signals and interaction with MEF2. *Mol. Cell. Biol.* 18, 69-77.
 - 174. Firulli, A.B., Han, D., Kelly-Roloff, L., Koteliansky, V.E., Schwartz, S.M., Olson, E.N. and Miano, J.M. 1998. A comparative molecular analysis of four rat smooth muscle cell lines. *In Vitro Cell. Dev. Biol.* 34, 217-226.
 - 175. Black, B. and Olson, E.N. 1999. Control of cardiac development by the MEF2 family of transcription factors. In: Heart Development. R. Harvey and N. Rosenthal (Eds.) (Academic Press, New York), pp. 131-142.
 - 176. Liu, Y., Nifuji, A., Wozney, J.M., Olson, E.N. and Noda, M. 1998. Scleraxis messenger ribonucleic acid is expressed in C2C12 myoblasts and its level is down- regulated by bone morphogenetic protein-2 (BMP2). *J. Cell. Biochem.* 67, 66-74.
 - 177. Molkentin, J.D. and Olson, E.N. 1997. GATA4: A novel transcriptional regulator of cardiac hypertrophy? *Circulation Res.* 96, 3833-3835.

178. Liu, Y., Watanabe, H., Nifuji, A., Yamada, Y., Olson, E.N., Noda, M. 1997. Overexpression of a single helix-loop-helix type transcription factor, scleraxis, enhances aggrecan gene expression in osteoblastic osteosarcoma ROS17/2.8 cells. *J. Biol. Chem.* 272, 29880-29885.
179. Katoh, Y., Molkentin, J.D., Olson, E.N. and Periasamy, M. 1997. MEF2B is a component of a smooth muscle-specific complex that binds an A/T-rich element important for smooth muscle myosin heavy chain gene expression. *J. Biol. Chem.* 273, 1511-1518.
180. Staudinger, J., Lu, J. and Olson, E.N. 1997. Specific interaction of the PDZ domain protein PICK1 with the COOH-terminus of protein kinase C-alpha. *J. Biol. Chem.* 272, 32019-32024.
181. Wu, S-L., Staudinger, J., Olson, E.N. and Rubin, C.S. 1998. Structure, expression and properties of an atypical protein kinase C (PKC3) from *Caenorhabditis elegans*. PKC3 is required for the normal progression of embryogenesis and viability of the organism. *J. Biol. Chem.* 273, 1130-1143.
182. Lin, Q., Srivastava, D. and Olson, E.N. 1998. A transcriptional pathway for cardiac development. Cold Spring Harbor Symposium on Quantitative Biology Volume LXII "Pattern Formation during Development". 405-411.
183. Cripps, R.M., Black, B.L., Zhao, B., Lien, C-L., Schulz, R.A. and Olson, E. N. 1998. The myogenic regulatory gene *Mef2* is a direct target for transcriptional activation by Twist during Drosophila embryogenesis. *Genes & Development* 12, 422-434.
184. Thomas, T., Overbeek, P.A., Olson, E.N. and Srivastava, D. 1998. The bHLH factors, dHAND and eHAND, specify pulmonary and systematic cardiac ventricles independent of left-right sidedness. *Developmental Biology* 196, 228-236.
185. Firulli, A.B., McFadden, D.G., Srivastava, D., Lin, L. and Olson, E.N. 1998. Heart and extraembryonic mesodermal defects in mouse embryos lacking the bHLH transcription factor Hand1. *Nature Gen.* 18, 266-270.
186. Lu, J-R., Richardson, J.A. and Olson, E.N. 1998. Capsulin: A novel bHLH transcription factor expressed in epicardial progenitors and mesenchyme of visceral organs. *Mech. of Dev.* 73, 23-32.
187. Damm, C., Wolk, A., Buttgereit, D., Löher, K., Wagner, E., Lilly, B., Olson, E.N., Hasenpusch-Theil, K. and Renkawitz-Pohl, R. 1998. Independent regulatory elements in the upstream region of the *Drosophila 3 tubulin* gene (bTub60D) guide expression in the dorsal vessel and the somatic muscles. *Developmental Biology* 199, 72-79.
188. Charng, M-J., Frenkel, P.A., Lin, Q., Yumada, M., Schwartz, R.J., Olson, E.N., Overbeek, P. and Schneider, M.D. 1998. Constitutive signalling by the serine/threonine kinase receptor ALK5 arrests cardiac looping morphogenesis. *Developmental Biology* 199, 138-149.
189. Molkentin, J.D., Lu, J., Antos, C.L., Markham, B., Richardson, J., Robbins, J., Grant, S. and Olson, E.N. 1998. A calcineurin-dependent transcriptional pathway for cardiac hypertrophy. *Cell* 93, 215-228.
190. Black, B.L. and Olson, E.N. 1998. Transcriptional control of muscle development by myocyte enhancer factor-2 (MEF2) proteins. *Ann. Rev. Cell Dev. Biol.* 14, 167-196.
191. Zberman, A., Dave, V., Miano, J., Olson, E.N. and Periasamy, M. 1998. An evolutionarily conserved promoter region containing CArG-like elements is crucial for smooth muscle myosin heavy chain gene expression. *Circ. Res.* 82, 566-575.
192. Thomas, T., Kurihara, H., Yamagishi, H., Kurihara, Y., Yazaki, Y., Olson, E.N. and Srivastava, D. 1998. A signaling cascade involving endothelin-1, dHAND and Msx1 regulates development of neural crest-derived branchial arch mesenchyme. *Development* 125, 3005-3014.
193. Rawls, A., Valdez, R., Zhang, W., Klein, W. and Olson, E.N. 1998. Overlapping functions of the myogenic bHLH genes MRF4 and MyoD revealed in double mutant mice. *Development* 125, 3844-3854.194.
194. Olson, E.N., and W. H. Klein. 1998. Muscle Minus MyoD. *Developmental Biology* 202, 153-156.
195. Ranganayakulu G., Elliott, D., Harvey, R., and Olson, E. 1998. Divergent roles for NK-2 class homeobox genes in cardiogenesis in flies and mice. *Development*. 125, 3037-3048.
196. Chin, E., Olson, E.N., Yang, Q., Shelton, J., Bassel-Duby, R. and Williams, R.S. 1998. A calcineurin dependent

- transcriptional pathway controls skeletal muscle fiber type. *Genes & Development* 12, 2499-2509.
- 197. Sussman, M.A., Lim, H.W., Cambon, N., Taigen, T., Olson, E.N., Robbins, J., Colbert, M.C., Wieczorek, D.F., and Molkentin, J.D. 1998. Prevention of cardiac hypertrophy by calcineurin inhibition. *Science* 281, 1690-1693.
 - 198. Rawls, A., Wilson-Rawls, J., and Olson, E.N. 1998. Genetic regulation of somite formation. In: Somitogenesis (C.P. Ordahl, Ed) Current Topics in Developmental Biology Academic Press Ltd., London, UK, 47: 131-154.
 - 199. Cripps, R.M., and Olson, E.N. 1998. Twist is required for muscle template splitting during adult *Drosophila* myogenesis. *Developmental Biology* 203, 106-115.
 - 200. Lin, Q., Lu, J., Yanagisawa, H., Webb, R., Lyons, G. E., Richardson, J. A., and Olson, E. N. 1998. Requirement of the MADS-box transcription factor MEF2C for vascular development. *Development*. 125, 4565-4574.
 - 201. Mei-Fang, L., Cheng, H., Lacy, A. D., Kern M., Argao, E. A., Potter, S., Olson, E. N., and Martin J. F. 1998. Paired-related homeobox genes cooperate in handplate and hindlimb zeugopod morphogenesis. *Developmental Biology*, 205, 145-157.
 - 202. Zhao, M., New, L., Kravchenko, V.V., Kato, Y., Gram, H.M Padova, F.D., Olson, E.N., Ulevitch, R.J. and Han, J. 1999. Regulation of the MEF2 family of transcription factors by p38. *Mol Cell Biol*. 19, 21-30.
 - 203. Kawauchi, T., Nifiji, A., Mataga, N., Olson, E. N., Bonaventure, J., Shinomiya, K., Liu, Y., and Noda, M. 1998. Fibroblast growth factor downregulates expression of a basic helix-loop-helix-type transcription factor, scleraxis in a chondrocyte-like cell line, TC6. *J. of Cellular Bioc.* 70, 468-477.
 - 204. Torres, R., Firestein, B. L., Dong, H., Staudinger, J., Olson, E. N., Huganir, R. L., Bredt, D. S., Gale, N. W., and Yancopoulos, G. D. 1998. PDZ proteins bind, cluster and synaptically co-localize with eph receptors and their ephrin ligands. *Neuron* 21, 1453-1463.
 - 205. Lien, C-L., Wu, C., Mercer, B., Webb, R., Richardson, J. A., and Olson, E. N. 1999. Control of early cardiac-specific transcription of *Nkx2-5* by a GATA-dependent enhancer. *Development*, 126, 75-84.
 - 206. Lu, J., Webb, R., Richardson J. A., and Olson, E. N. 1999. MyoR: a muscle-restricted bHLH transcription factor that antagonizes the actions of MyoD. *Proc. Natl. Acad. Sci. USA*, 96, 552-557.
 - 207. Zhang, W., Kowal, R. C., Rushak, F. R., Olson, E. N., and Victor, R. G. 1999. Failure of calcineurin inhibitors to prevent pressure overload left ventricular hypertrophy in rats. *Circ. Res.*, 84, 623-632.
 - 208. Gestblom, C., Grynfeld, A., Ortoft, E., Larsson, C., Sandstedt. B., Olson, E.N. and Pahlman, S. 1999. The basic helix-loop-helix transcription factor dHAND, a marker for the developing human sympathetic nerve system cells that is selectively downregulated in maturing chromaffin cells, is expressed in neuroblastoma tumors. *Lab Invest.*, 79, 67-79.
 - 209. Fishman, M. C., Olson, E. N., Chien, K. R. 1999. Molecular advances in cardiovascular development. In: Part II, Morphogenesis and cardiovascular Diseases, in The Molecular Basis of Heart Disease: A Companion to Braunwald's Heart Disease, K. R. Chien (Ed.) (W. B. Saunders, Philadelphia, PA) Chapter 5, pp. 115-134.
 - 210. Rawls, J. Molkentin, J. D., Black, B. L. and Olson, E.N., 1999. Activated notch specificity inhibits the myogenic activity of the MADS-box transcription factor MEF2C. *Mol Cell Biol.*, 19, 2853-2862.
 - 211. Henderson, J. R., Malcalma, T., Brown, D., Richardson, J. A., Olson, E. N., and Beckerle, M. C. 1999. The LIM protein, CRP1, is a smooth muscle marker. *Dev. Dynamics*, 214, 229-238.
 - 212. Olson, E. N. and Molkentin J. 1999. Prevention of cardiac hypertrophy by calcineurin inhibition: hope or hype? *Circ. Res.*, 84, 623-632.
 - 213. Ranganayakulu, G., Elliott, D. A., Harvey, R. P., and Olson, E. N. 2000. Analysis of the cardiogenic functions of NK-2 class homeobox genes using a cross-species cardiac rescue assay in *Drosophila*. In: Etiology and Morphogenesis of Congenital Heart Disease: Twenty Years of Progress in Genetics and Developmental Biology. EB. Clark, M. Nakazawa, A. Takao (Eds.) (Futura Publishing Co. Inc., Armonk, NY) Chapter 10, pp.67-70.
 - 214. Vivian, J. L., Gan, L., Olson, E.N., and Klein, W.H. 1999. A hypomorphic myogenin allele reveals distinct myogenin expression levels required for viability, skeletal muscle development, and sternum formation.

- Developmental Biology*, 208, 45-55.
- 215. Kowal, R. C., Richardson, J. A., Miano, J. and Olson, E. N. 1999. EVEC: A novel epidermal growth factor-like repeat-containing protein expressed by embryonic and diseased adult vasculature. *Circ. Res.*, 84, 1166-1176.
 - 216. Lu, J., McKinsey, T., Xu, H., Wang, D., Richardson, J. A., and Olson, E. N. 1999. FOG-2: a heart-and brain-enriched cofactor for GATA transcription factors. *Mol. Cell Biol.*, 19, 4495-4502.
 - 217. Meguro, T., Hong, C., Asai, K., Takagi, G., McKinsey, T. A., Olson, E. N., and Vatner, S. F. 1999. Cyclosporine attenuates pressure overload hypertrophy in mice, while enhancing susceptibility to decompensation and heart failure. *Circ. Res.*, 84, 735-740.
 - 218. McKinsey, T. A. and Olson, E. N. 1999. Cardiac hypertrophy: sorting out the circuitry. *Curr. Opin. in Genetics & Dev.*, 9, 267-274.
 - 219. Naya, F. J., Wu, C., Richardson, J. A., Overbeek, P., and Olson, E. N. 1999. Transcriptional activity of MEF2 during mouse embryogenesis monitored with a MEF2-dependent transgene. *Development*, 126, 2045-2052.
 - 220. Spencer, J., Baron, M. H., and Olson, E. N. 1999. Cooperative transcriptional activation by serum response factor and the HMG protein SSRP. *J Biol. Chem.*, 274, 15686-15693.
 - 221. Schneider, M. D., and Olson, E. N. 2006. Cardiac Development: Toward a Molecular Basis for Congenital Heart Disease. In: *Cardiovascular Medicine*, M. Strauss (Ed.) (Churchill Livingston, Philadelphia, PA) Chapter 44, pp. 1135-1156.
 - 222. Musaro, A., McCullagh, K., Naya, F., Olson, E. N., Rosenthal, N. 1999. IGF-1 induces skeletal myocyte hypertrophy through calcineurin in association with GATA-2 and NF-ATc1. *Nature* 400, 581-585.
 - 223. Brown, D., Wagner, D., Li, X., Richardson, J., and Olson, E. N. 1999. Dual role of the basic helix-loop transcription factor scleraxis in mesoderm formation and chondrogenesis during mouse embryogenesis. *Development*, 126, 4317-4329.
 - 224. Schwartz, R., and Olson, E. N. 1999. Building the heart piece by piece: modularity of cis-elements regulating *Nkx2-5* transcription. *Development*, 126, 4187-4192.
 - 225. Kowal, R.C., Jolson, M.J., Olson, E.N., and Schultz, R. 1999. Assignment of fibulin-5 (FBLN5) to human chromosome 14q31 by in situ hybridization and radiation hybrid mapping, *Cytogenetics & Cell Genetics*, 87, 2-3.
 - 226. Nakagawa, O., Nakagawa, M., Richardson, J.A., Olson, E.N., and Srivastava, D. 1999. HRT1, HRT2 and HRT3: A new subclass of bHLH transcription factors marking specific cardiac, somitic and branchial arch segments. *Developmental Biology*, 216, 72-84.
 - 227. Cripps, R., Zhou, B., and Olson, E.N. 1999. Transcription of the myogenic regulatory gene *mef2* in cardiac, somatic and visceral muscle cell lineages is regulated by a Tinman-dependent core enhancer. *Developmental Biology*, 215, 420-430.
 - 228. Naya, F, and Olson, E.N. 1999. MEF2: A transcriptional target for signaling pathways controlling skeletal muscle growth and differentiation. *Current Opinion in Cell Biology*, 11, 683-688.
 - 229. Molkentin, J., Antos, C., Mercer, B., Taigen, T., Miano, J. M., and Olson, E. N. 2000. Direct activation of GATA6 cardiac enhancer by Nkx2.5: Evidence for a reinforcing regulatory network of Nkx2.5 and GATA transcription factors in the developing heart. *Developmental Biology*, 217, 301-309.
 - 230. Passier, R., Richardson, J. A., and Olson, E. N. 1999. Oracle, A novel PDZ-LIM domain protein expressed in heart and skeletal muscle. *Mechanisms of Development*, 92, 277-284.
 - 231. Naya, F.J., Mercer, B., Shelton, J., Richardson, J.A., Williams, R.S., and Olson, E.N. 2000. Stimulation of slow skeletal muscle fiber gene expression by calcineurin in vivo. *The Journal of Biological Chemistry*, 275: 4545-4548.
 - 232. Yamagishi, H., Olson, E.N., and Srivastava, D. 2000. The bHLH transcription factor, dHAND, is required for vascular development. *The Journal of Clinical Investigation*, 105, 261-270.
 - 233. Valdez, R.M., Richardson, J.A., Klein, W.H., and Olson, E.N. 2000. Failure of Myf5 to support myogenic

- differentiation without myogenin, MyoD, and MRF4. *Developmental Biology*, 219, 287-298.
234. Passier, R., Zeng, H., Frey, N., McKinsey, T.A., Overbeek, P., Richardson, J.A., Grant, S.R., and Olson, E.N. 2000. CaM kinase signaling induces cardiac hypertrophy and activates the MEF2 transcription factor in vivo. *The Journal of Clinical Investigation*, 105, 1395-1406.
235. Lu, J., McKinsey, T.A., Nicol, R.L., Naya, F.J., Passier, R., and Olson, E.N. 2000. Signal-dependent activation of the MEF2 transcription factor by dissociation from histone deacetylases. *Proc. Natl. Acad. Sci., U.S.A.*, 97, 4070-4075.
236. Olson, E.N. and Williams, R.S. 2000. Remodeling muscles with calcineurin. *Bioessays*, 22, 510-519.
237. Olson, E.N., and Srivastava, D. 2002. Hand Transcription Factors, In: The Wiley Encyclopedia of Molecular Medicine, T. Creighton, Ed) John Wiley & Sons, New York, NY 1542-1544.
238. Nichol, R.L., Frey, N., and Olson, E.N. 2000. From the sarcomere to the nucleus: genetics of structural heart disease. *Annual Review of Genomics and Human Genetics*, 1, 179-223.
239. Martin, J.F. and Olson, E.N. 2000. Identification of a prx1 limb enhancer. *Genesis*, 26:225-229.
240. Bergwerff, M., Gittenberger-de Groot, A.C., Wisse, L.J., DeRuiter, M.C., Martin, J.F., Olson, E.N., and Kern, M.J. 2000. Loss of function of the Prx1 and Prx2 homeobox genes alters morphology of the great elastic arteries and ductus arteriosus. *Virchows Arch*, 436, 12-19.
241. Skapek, S.X., Jansen, D., Wei, T-F., McDermott, T., Huang, W., Olson, E.N., and Lee, E.Y-H. 1999. Cloning and characterization of a novel KRAB family transcriptional repressor that interacts with the retinoblastoma gene product, RB. *J Biol. Chem.*, 275, 7212-7223.
242. Wu, H., Naya, F.J., McKinsey, T., Mercer, B., Bassel-Duby, R., Olson, E.N., and Williams, R.S. 2000. MEF2 responds to multiple calcium-regulated signals in the control of skeletal muscle fiber type. *EMBO J*, 19, 1963-1973.
243. Charite, J., McFadden, D.G., and Olson, E.N. 2000. The bHLH transcription factor dHAND controls sonic hedgehog expression and establishment of the zone of polarizing activity during limb development. *Development*, 127, 2461-2470.
244. Molkentin, J.D., Tymitz, K.M., Richardson, J.A., and Olson, E.N. 2000. Abnormalities of the female genitourinary tract in mice lacking GATA5. *Mol. Cell. Biol.*, 20, 5256-5260.
245. Johnatty, S.E., Dyck, J.R., Michael, L.H., Olson, E.N., Abdellatif, M. 2000. Identification of genes regulated mechanical load-induced cardiac hypertrophy. *J. Mol. Cell. Cardiol.* 32, 805-815.
246. Vivian, J.L., Olson, E.N., and Klein, W.H. 2000. Thoracic skeletal defects in myogenin and MRF-4 deficient mice are due to early defects in myotome and intercostal musculature. *Developmental Biology*, 224, 29-41.
247. Olson, E.N., and Williams, R.S. 2000. Calcineurin signaling and muscle remodeling. *Cell* 101, 689-692.
248. Lu, J., McKinsey, T.A., and Olson, E.N. 2000. Regulation of skeletal myogenesis by association of MEF2 with histone deacetylases. *Molecular Cell*, 6, 233-244.
249. Lu, J., Chang, P., Richardson, J.A., Gan, L., Weiler, H., and Olson, E.N. 2000. The basic helix-loop-helix transcription factor capsulin controls spleen organogenesis. *Proc. Natl. Acad. Sci. U.S.A.*, 97, 9525-9530.
250. Spencer, J.A., Eliazer, S., Ilaria, R.L., Richardson, J.A., and Olson, E.N. 2000. Regulation of microtubule dynamics and myogenic differentiation by MURF, a striated muscle RING finger protein. *J. Cell Biol.*, 150, 771-784.
251. Srivastava, D., and Olson, E.N. 2000. A genetic blueprint for cardiac development: Implications for human heart disease. *Nature*, 407, 221-226.
252. Zhang, C.L., McKinsey, T.A., Lu, J-R., and Olson, E.N. 2001. Association of the CtBP and MITR corepressors contributes to transcriptional repression of the MEF2 transcription factor. *J. Biol. Chem.*, 276, 35-39.
253. Mallo, M., Schrewe, H., Martin J.F., Olson, E.N., and Ohnemus, S. 2000. Assembling a functional tympanic membrane: signals from the external acoustic meatus coordinate development of the malleal manubrium.

Development, 127, 4127-4136.

254. Tseng, B.S., Cavin, S.T., Booth, F.W., Olson, E.N., Marin, M.C., McDonnell, T.J., and Butler, I.J. 2000. Pulmonary hypoplasia in the myogenin null mouse embryo. *Am. J. Respir. Cell & Mol. Biol.* 22, 304-315.
255. McKinsey, T.A., Zhang, C.L., Lu, J., and Olson, E.N. 2000. Signal-dependent nuclear export of a histone deacetylase regulates muscle differentiation. *Nature*, 408, 106-111.
256. McFadden, D.G., Charite, J., Richardson, J.A., Srivastava, D., Firulli, A.B., and Olson, E.N. 2000. A GATA-dependent right ventricular enhancer controls *dHAND* transcription in the developing heart. *Development*, 127, 5331-5341.
257. Frey, N., McKinsey, T.A., and Olson, E.N. 2000. Decoding calcium signals involved in cardiac growth and function. *Nature Medicine*, 6, 1221-1227.
258. Johnson, J., Rhee, J., Parsons, S.M., Brown, D., Olson, E.N., and Rawls, A. 2001. The anterior/posterior polarity of somites is disrupted in paraxis deficient mice. *Dev. Biol.*, 229, 176-187.
259. Nakagawa, O., McFadden, D.G., Nakagawa, M., Yanagisawa, H., Hu, T., Srivastava, D., and Olson, E.N. 2000. Members of the HRT family of bHLH proteins act as transcriptional repressors downstream of notch signaling. *Proc. Natl. Acad. Sci., USA*, 97, 13655-13660.
260. Myer, A., Olson, E.N., and Klein, W.H. 2001. MyoD cannot compensate for the absence of myogenin during skeletal muscle differentiation in murine embryonic stem cells. *Dev. Biology*, 229, 340-350.
261. Frey, N., Richardson, J.A., and Olson, E.N. 2000. Calsarcins, a novel family of sarcomeric calcineurin-binding proteins. *Proc. Natl. Acad. Sci. U.S.A.*, 97, 14632-14637.
262. McKinsey, T.A., Zhang, C-L., and Olson, E.N. 2000. Activation of the MEF2 transcription factor by calcium/calmodulin-dependent protein kinase-stimulated binding of 14-3-3 to histone deacetylase 5. *Proc. Natl. Acad. Sci. U.S.A.*, 97, 14400-14405.
263. Frey, N., and Olson, E.N. 2000. Making matters worse for a broken heart. *J. Clin. Invest.*, 106, 1437-1439.
264. Yang, J., Rothermel, B., Vega, R.B., Frey, N., Olson, E.N., Bassel-Duby, R., and Williams, R.S. 2000. Independent signals control expression of the calcineurin inhibitory proteins MCIP1 and MCIP2 in striated muscles. *Circ. Res.* 87, 61-68.
265. Rothermel, B.A., McKinsey, T.A., Vega, R.B., Nicol, R.L., Mammen, P., Yang, J., Antos, C.A., Shelton, J.M., Bassel-Duby, R., Olson, E.N., and Williams, R.S. 2001. Myocyte-enriched calcineurin interacting protein, MCIP1, inhibits cardiac hypertrophy in vivo. *Proc. Natl. Acad. Sci. U.S.A.*, 98, 3328-3333.
266. Chang, P.S., Li, L., McAnally, J., and Olson, E.N. 2001. Muscle-specificity encoded by specific serum response factor binding sites. *J. Biol. Chem.*, 276, 17206-17212.
267. Liu, Z-P., Nakagawa, O., Nakagawa, M., Yanagisawa, H., Passier, P., Richardson, J.A., Srivastava, D., and Olson, E.N. 2001. CHAMP, a novel cardiac-specific helicase regulated by MEF2C. *Developmental Biology*, 234, 497-509.
268. Olson, E.N. 2001. The path to the heart and the road not taken. *Science* 291, 2327-2328.
269. Nicol, B., Frey, N., Pearson, G., Cobb, M., Richardson, J., and Olson, E.N. 2001. Activated MEK5 induces serial assembly of sarcomeres and eccentric cardiac hypertrophy. *EMBO J.* 20, 2757-2767.
270. Zhang, C.L., McKinsey, T.A., and Olson, E.N. 2001. The transcriptional corepressor MITR is a signal-responsive inhibitor of myogenesis. *Proc. Natl. Acad. Sci. U.S.A.*, 98, 7354-7359.
271. Wang, D-Z., Chang, P., Wang, Z., Small, E., Krieg, P.A., Olson, E.N. 2001. Activation of cardiac gene expression by myocardin, a transcriptional cofactor for serum response factor. *Cell*, 105, 851-862.
272. McKinsey, T.A., Zhang, C.L., and Olson, E.N. 2001. Identification of a signal-responsive nuclear export sequence in histone deacetylases 4 and -5. *Mol. Cell. Biol.*, 21, 6312-6321.
273. McKinsey, T.A., Zhang, C.L., and Olson, E.N. 2001. Control of muscle development by dueling HATs and HDACs. *Curr. Opin. Genet. Dev.*, 11, 497-504.

274. Yamagishi, H., Yamagishi, C., Nakagawa, O., Harvey, R.P., Olson, E.N., and Srivastava, D. 2001. The combinatorial activities of NKx2.5 and dHAND are essential for cardiac ventricle formation. *Developmental Biology*, 239, 190-203.
275. Wang, D-Z., Valdez, M.R., McAnally, J., Richardson, J., Olson, E.N. 2001 The *MEF2C* gene is a direct transcriptional target of myogenic bHLH and MEF2 proteins during skeletal muscle development. *Development*, 128, 4623-4633.
276. Wu, H., Rothermel, B., Kanatous, S., Rosenberg, P., Naya, F.J., Shelton, J.M., Olson, E.N., Bassel-Duby, R., and Williams, R.S. 2001. Activation of MEF2 by muscle activity is mediated through a calcineurin-dependent pathway. *EMBO J*, 20, 6414-6423.
277. Schweitzer, R., Chyung, J.H., Murtaugh, L.C., Brent, A.E., Rosen, V., Olson, E.N., Lassar, A., and Tabin, C.J. 2001. Analysis of the tendon cell fate using Scleraxis, a specific marker for tendons and ligaments. *Development*, 128, 3855-3866.
278. Charité, J., McFadden, D.G., Merlo, G., Levi, G., Clouthier, D.E., Yanagisawa, M., Richardson, J.A., and Olson, E.N. 2001. Role of Dlx-6 in regulation of an Endothelin-1 dependent, dHAND branchial arch enhancer. *Genes & Development*, 15, 3039-3049.
279. Antos, C., Frey, N., Marx, S.O., Reiken, S., Gaburjako, M., Richardson, R.A., Marks, A.R., and Olson, E.N. 2001. Dilated cardiomyopathy and sudden death resulting from constitutive activation of protein kinase A. *Circ. Res.*, 89, 997-1004.
280. McKinsey, T.A., Zhang, C.L., and Olson, E.N. 2002. MEF2: a calcium-dependent regulator of cell division, differentiation, and death. *Trends in Biochem. Sciences*, 27, 40-47.
281. Lilly, B., Olson, E.N., and Beckerle, M.C. 2002. Identification of a CArG box-dependent enhancer within the cysteine-rich protein 1 gene that directs expression in arterial but not venous or visceral smooth muscle cells. *Dev. Biol.*, 240, 531-547.
282. Chen, E., and Olson, E.N. 2001. Antisocial, an intracellular adaptor protein, is required for myoblast fusion in *Drosophila*. *Developmental Cell*, 1, 705-715.
283. Yanagisawa, H., Davis, E.C., Starcher, B.C., Ouchi, T., Yanagisawa, M., Richardson, J.A. and Olson, E.N. 2002. Fibulin-5 is an elastin-binding protein essential for elastic fiber development in vivo. *Nature*, 415, 168-171.
284. Antos, C.L., McKinsey, T.A., Frey, N., Leutschke, W., Shelton, J., Richardson, J.A., Hill, J.A., and Olson, E.N. 2002. Activated glycogen synthase kinase- β suppresses cardiac hypertrophy in vivo. *Proc. Natl. Acad. Sci. U. S. A.*, 99, 907-912.
285. Frey, N., and Olson, E.N. 2002. Modulating cardiac hypertrophy by manipulating myocardial lipid metabolism. *Circulation*, 105, 1152-1154.
286. Srivastava, D., and Olson, E.N. 2004. Cardiac development and congenital heart disease. In: Molecular Basis of Cardiovascular Disease: A Companion to Braunwald's Heart Disease. Chien, K.R. (Eds.) W.B. Saunders Company, Orlando, FL Chapter 10, pp. 217-224.
287. Liu, Z.P., and Olson, E.N. 2002. Suppression of proliferation and cardiomyocyte hypertrophy by CHAMP, a cardiac-specific RNA helicase. *Proc. Natl. Acad. Sci. U. S. A.*, 99, 2043-2048.
288. Henderson, J.R., Brown, D., Richardson, J.A., Olson, E.N., Beckerle, M.C. 2002. Expression of the gene encoding the LIM protein CRP2. A developmental profile. *J. Histochem. Cytochem.* 50, 107-111.
289. Lien, C-L., McAnally, J., Richardson, J.A., and Olson, E.N. 2002. Cardiac-specific activity of an *Nkx2.5* enhancer requires an evolutionary conserved Smad binding site. *Dev. Biol.*, 244, 257-266.
290. Frey, N., and Olson, E.N. 2002. Calsarcin-3, a novel skeletal muscle-specific member of the calsarcin family, interacts with multiple Z-disc proteins. *J. Biol. Chem.*, 277, 13998-14004.
291. McFadden, D.G., and Olson, E.N. 2002. Heart development: learning from mistakes. *Curr. Opin. Genet. & Dev.*, 12, 328-335.

292. Gottlieb, P.A., Pierce, S.A., Sims, R.J., Weihe, E.K., Harriss, J.V., Maika, S.D., Kuziel, W.A., King, H.L., Yamagishi, H., Olson, E.N., Nakagawa, O., and Srivastava, D. 2002. Bop encodes a muscle-restricted MYND and SET domain-containing protein essential for cardiac differentiation and morphogenesis. *Nature Genetics*, 31, 25-32.
293. Crabtree, G.R., and Olson, E.N. 2002. NFAT signaling: choreographing the social lives of cells. *Cell*, 109, S67-S79.
294. Cripps, R.N. and Olson, E.N. 2002. Control of cardiac development by conserved transcriptional networks. *Dev. Biology*, 246, 14-28.
295. Olson, E.N. 2002. Deconstructing the transcriptional circuitry of development. *Dev. Biology*, 246, 1.
296. Wu, H., and Olson, E.N. 2002. Activation of the MEF2 transcription factor in skeletal muscles from myotonic mice. *J. Clin. Invest.*, 109, 1327-1333.
297. Arai, A., Spencer, J.A., and Olson, E.N. 2002. STARS, a striated muscle activator of Rho signaling and serum response factor-dependent transcription. *J. Biol. Chem.*, 277, 24453-24459.
298. McFadden, D.G., McAnally, J., Richardson, J.A., Charite, J., and Olson, E.N. 2002. The misexpression of dHAND can induce ectopic digit in the developing limb bud in the absence of direct DNA binding. *Development*, 129, 3077-3088.
299. Lin, J., Wu, H., Tarr, O., Zhang, C., Wu, Z., Boss, O., Michael, L.F., Puigserver, P., Isotani, E., Olson, E.N., Lowell, B., Bassel-Duby, R., Spiegelman, B. 2002. Transcriptional co-activator PGC-1 alpha drives the formation of slow-twitch muscle fibers. *Nature*, 418, 797-801.
300. Wu, Y., Temple, J., Zhang, R., Dzhura, I., Zhang, W., Trimble, R., Roden, D.M., Passier, R., Olson, E.N., Colbran, R.J., and Anderson, M.E. 2002. Calmodulin kinase II and arrhythmias in a mouse model of cardiac hypertrophy. *Circulation*, 106, 1288-1293.
301. Logan, M., Martin, J.A., Nagy, A., Lobe, C., Olson, E.N., and Tabin, C.J. 2002. Expression of Cre recombinase in the developing mouse limb bud driven by a Prx1 enhancer. *Genesis* 33, 77-80.
302. Zhang, C.L., McKinsey, T.A., Chang, S., Antos, C.A., Hill, J.A., and Olson, E.N. 2002. Class II histone deacetylases act as signal-responsive repressors of cardiac hypertrophy. *Cell*, 110, 479-488.
303. Chien, K.R., and Olson, E.N. 2002. Converging pathways and principles in heart development and disease: CV @ CSH. *Cell*, 110, 153-162.
304. Zhang, C.L., McKinsey, T.A., and Olson, E.N. 2002. Association of class II histone deacetylases with heterochromatin protein 1: potential role for histone methylation in control of muscle differentiation. *Mol. Cell. Biol.*, 22, 7302-7312.
305. Huber, K., Bruhl, B., Guillemot, F., Olson, E.N., Ernsberger, U., and Unisicker, K. 2002. Development of chromaffin cells depends on MASH-1 function. *Development*, 129, 4729-4738.
306. McKinsey, T.A., and Olson, E.N. 2002. Signaling chromatin to make muscle. *Curr. Opn. Cell Biol.*, 14, 763-772.
307. Shin, C.H., Liu, Z.P., Passier, R., Zhang, C.L., Wang, D.Z., Harris, T.M., Yamagishi, H., Richardson, J.A., Childs, G., and Olson, E.N. 2002. Modulation of cardiac growth and development by HOP, an unusual homeodomain protein. *Cell*, 110, 725-735.
308. Frey, N., and Olson, E.N. 2003. Cardiac hypertrophy: The good, the bad and the ugly. *Annual Review of Physiology*, 65, 21.1-21.35.
309. Wang, D., Passier, R., Liu, Z-P., Shin, C.H., Wang, Z., Li, S., Sutherland, L., Small, E., Kreig, P.A., and Olson, E.N. 2002. Regulation of cardiac growth and development by SRF and its cofactors. In: The 67th Cold Spring Harbor Symposium on Quantitative Biology: The Cardiovascular System, 97-105.
310. Srivastava, D., Gottlieb, P.D., and Olson, E.N. 2002. Molecular mechanisms of ventricular hypoplasia. In: The 67th Cold Spring Harbor Symposium on Quantitative Biology: The Cardiovascular System, 121-125.
311. Asou, Y., Nifuji, A., Tsuji, K., Shinomiya, K., Olson, E.N., Koopman, P., and Noda, M. 2002. Coordinated expression of scleraxis and Sox9 genes during embryonic development of tendons and cartilage. *J. of Orthopaedic*

Res., 20, 827-833.

312. Naya, F.J., Black, B.L., Wu, H., Bassel-Duby, R., Richardson, J.A., Hill, J.A., Olson, E.N. 2002. Mitochondrial deficiency and cardiac sudden death in mice lacking the MEF2A transcription factor. *Nature Med.*, 8, 1303-1309.
313. Wang, D-Z., Li, S., Hockemeyer, D., Sutherland, L., Wang, Z., Schratt, G., Richardson, J.A., Nordheim, A., and Olson, E.N. 2002. Potentiation of serum response factor activity by a family of myocardin-related transcription factors. *Proc. Natl. Acad. Sci., U.S.A.*, 99, 14855-14860.
314. Lu, J., Bassel-Duby, R., Hawkins, A.F., Chang, P., Valdez, R., Wu, H., Shelton, J., Richardson, J.A., and Olson, E.N. 2002. Control of facial muscle development by MyoR and capsulin. *Science*, 298, 2378-2381.
315. Guo, L., Nakamura, K., Lynch, J., Opas, M., Olson, E.N., Agellon, L.B., and Michalak, M. 2003. Cardiac specific expression of calcineurin reverses embryonic lethality in calreticulin-deficient mice. *J. Biol. Chem.*, 277, 50776-50779.
316. Eliazer, S., Spencer, J., Olson, E.N., Ilaria, R.L. 2003. Alteration of mesodermal cell differentiation by EWS/FLI-1, the oncogene implicated in Ewing's Sarcoma. *Mol. Cell. Biol.*, 23, 482-492.
317. Vega, R.B., Rothermel, B.A., Weinheimer, C.J., Kovacs, A., Naseem, H., Bassel-Duby, R., Williams, R.S., and Olson, E.N. 2003. Dual roles of the modulatory calcineurin-interacting protein 1 in cardiac hypertrophy. *Proc. Natl. Acad. Sci. U.S.A.*, 100, 669-674.
318. Ivey, K., Tyson, B., Ukidwe, P., McFadden, D.G., Levi, G., Olson, E.N., Srivastava, D., and Wilkie, T.M. 2003. Gαq and Gα11 proteins mediate endothelin-1 signaling in neural crest-derived pharyngeal arch mesenchyme. *Dev. Biol.*, 255, 230-237.
319. Yanagisawa, H., Clouthier, D.E., Richardson, J.A., Charite, J., and Olson, E.N. 2003. Targeted deletion of a branchial arch-specific enhancer reveals a role of dHAND in craniofacial development. *Development*, 130, 1069-1078.
320. Czubryt, M.P., McNally, J., Fishman, G.I., and Olson, E.N. 2003. Regulation of the transcriptional co-activator PGC-1 α and mitochondrial function by MEF2 transcription factors and histone deacetylase 5. *Proc. Natl. Acad. Sci. U.S.A.*, 100, 1711-1716.
321. Sosic, D., Richardson, J.A., Yu, K., Ornitz, D.M., and Olson, E.N. 2003. Twist genes regulate cytokine expression and energy homeostasis through a negative feedback loop that represses NF-κB activity. *Cell*, 112, 169-180.
322. Wu, H., Gallardo, T., Olson, E.N., Williams, R.S., and Shohet, R.V. 2003. Transcriptional analysis of mouse skeletal myofiber diversity and adaptation to endurance exercise. *J. Muscle Res. Cell Motility*, 24, 587-592.
323. Gajewski, K., Wang, J., Molkentin, J.D., Chen, E.H., Olson, E.N., and Schulz, R.A. 2003. Requirement of the calcineurin subunit gene canB2 for indirect flight muscle function in *Drosophila*. *Proc. Natl. Acad. Sci. USA.*, 100, 1040-1045.
324. Ruest, L-B., Daeger, M., Charite, J., Hammer, R.E., Olson, E.N., Yanagisawa, M., and Clouthier, D.E. 2003. dHAND-Cre transgenic mice reveal specific potential functions of dHAND during craniofacial development. *Dev. Biol.*, 257, 263-277.
325. Rybkin, I.I., Markham, D.W., Yan, Z., Bassel-Duby, R., Williams, R.S., and Olson, E.N. 2003. Conditional expression of SV40 T antigen in mouse cardiomyocytes facilitates an inducible switch from proliferation to differentiation. *J. Biol. Chem.*, 278, 15927-15934.
326. Loscalzo, J., balaban, R., Becker, L.B., Ginsburg, G.S., Hachinski, V.C., Hall, J.E., Heistad, D.D., Leinwand, L.A., Lenfant, C.J., Marban, E., Olson, E.N., and Schwartz, S.M. 2002. Task force on strategic research direction: Basic science subgroup. Key science topics report. *Circulation*, 106, e149-e161.
327. Olson, E.N. 2002-2003. A genetic blueprint for growth and development of the heart. In: The Harvey Lectures, 98, 41-64.
328. Sosic, D., and Olson, E.N. 2003. A new twist: modulation of the NF-KB pathway. *Cell Cycle*, 2, 76-78.
329. Yoshida, T., Sinha, S., Dandre, F., Wamhoff, B.R., Hoofnagle, M.H., Kremer, B.E., Wang, D.Z., Olson, E.N. and Owens, G.K. 2003. Myocardin is a key regulator of CArG-dependent transcription of multiple smooth muscle

- marker genes. *Circ. Res.*, 92, 856-864.
330. Antos, C.L., McKinsey, T.A., Dreitz, M., Hollingsworth, L.M., Zhang, C-L., Schreiber, K., Rindt, H., Gorczynski, R.J., and Olson, E.N. 2003. Dose-dependent blockade to cardiomyocyte hypertrophy by histone deacetylase inhibitors. *J. Biol. Chem.*, 278, 28930-28937.
331. Wang, Z-G., Wang, D-Z., Pipes, G.C.T., and Olson, E.N. 2003. Myocardin is a master regulator of smooth muscle gene expression. *Proc. Natl. Acad. Sci. USA.*, 100, 7129-7134.
332. Yu, K., Xu, J., Liu, Z., Susic, D., Shao, J., Olson, E.N., Towler, D.A. and Ornitz, D.M. 2003. Conditional inactivation of FGF receptor 2 reveals an essential role for FGF signaling in the regulation of osteoblast function and bone growth. *Development*, 130, 3063-3074.
333. Olson, E.N., and Schneider, M.D. 2003. Sizing up the heart: development redux in diseases. *Genes & Development*, 17, 1937-1956.
334. Li, S., Wang, D-Z., Wang, Z., Richardson, J.A., and Olson, E.N. 2003. The serum response factor coactivator myocardin is required for vascular smooth muscle development. *Proc. Natl. Acad. Sci. USA.*, 100, 9366-9370.
335. Vega, R.B., Bassel-Duby, R., and Olson, E.N. 2003. Control of cardiac growth and function by calcineurin signaling. *J. Biol. Chem.*, 278, 36981-36984.
336. Gaussion, V., Tomlinson, J.E., Depre, C., Engelhardt, S., Antos, C.L., Takagi, G., Hein, L., Topper, J.N., Liggett, S.B., Olson, E.N., Lohse, M.J., Vatner, S.F., and Vatner, D.E. 2003. Common genomic response in different mouse models of beta-adrenergic induced cardiomyopathy. *Circulation*, 108, 2926-2933.
337. Chen, E.H., Pryce, B.A., Tzeng, J.A., Gonzalez, G., and Olson, E.N. 2003. Control of myoblast fusion by a guanine nucleotide exchange factor, Loner, and its effector ARF6. *Cell*, 114, 751-762.
338. Czubryt, M.P. and Olson, E.N. 2004. Balancing contractility and energy production: the role of MEF2 in cardiac hypertrophy. *Recent Progress in Hormone Research*, 59, 105-124.
339. Ryder, J.W., Zierath, Bassel-Duby, R., Olson, E.N. and Zierath, J.R. 2003. Skeletal muscle reprogramming by activation of calcineurin improves insulin action on metabolic pathways. *J. Biol. Chem.*, 278, 44298-44304.
340. Bassel-Duby, R. and Olson, E.N. 2003. Role of calcineurin in striated muscle: development, adaptation, and disease. *Biochem. & Biochem Res. Comm.*, 311, 1133-1141.
341. Misra, A., Knuefermann, P., Chen, Z.J., Michael, L.H., Sivasubramanian, N., Olson, E.N., Entman, M.L., and Mann, D.L. 2003. Nuclear factor-KappaB protects the adult cardiac myocyte against ischemia-induced apoptosis in a murine model of acute myocardial infarction. *Circulation*, 108, 3075-3078.
342. McKinsey, T.A. and Olson, E.N. 2004. Cardiac histone acetylation: therapeutic opportunities abound. *Trends in Genetics*, 20, 206-213.
343. Cripps, R., Lovato, T.L., and Olson, E.N. 2004. Positive autoregulation of the myocyte enhancer factor-2 myogenic control gene during somatic muscle development in Drosophila. *Dev. Biol.*, 267, 536-547.
344. McKinsey, T.A. and Olson, E.N. 2004. Dual roles of histone deacetylases in the control of cardiac growth. Novartis Foundation Symposium. Reversible Protein Acetylation. 259, 132-145.
345. Olson, E.N. 2003. Coronary artery disease and the MEF2A transcription factor. *Science SAGE KE*, Dec. 3 (48): pe33.
346. Lopez-Rodriguez, C., Antos, C.L., Shelton, J., Richardson, J.A., Lin, F., Novobrantseva, T.I., Bronson, R.T., Igarashi, P., Rao, A., and Olson, E.N. 2004. Loss of NFAT5 results in renal atrophy and lack of tonicity-responsive gene expression. *Proc. Natl. Acad. Sci. USA.*, 101, 2392-2397.
347. Bush, E., Fielitz, J., Melvin, L., Arnold-Martinez, M., McKinsey, T.A., Plichta, R., and Olson, E.N. 2004. A small molecular activator of cardiac hypertrophy uncovered in a chemical screen for modifiers of the calcineurin signaling pathway. *Proc. Natl. Acad. Sci. USA.*, 101, 2870-2875.
348. Rooij, E., Doevedans, P.A., Crijns, H., Heeneman, S., Lips, D.J., Bilsen, M., Williams, R.S., Olson, E.N., Bassel-Duby, R., Rothermel, B.A., and De Windt, L.J. 2004. MCIP1 overexpression suppresses left ventricular remodeling and sustains cardiac function after myocardial infarction. *Circ. Res.*, 94, e18-e26.

349. Wang, Z., Wang, D-Z., Hockemeyer, D., McAnally, J., Nordheim, A., and Olson, E.N. 2004. Myocardin and ternary complex factors compete for SRF during smooth muscle development. *Nature*, 428, 185-189.
350. Bialek, P., Kern, B., Yang, Xiangli, Y., Schrock, M., Sosic, D., Hong, N., Wu, H., Yu, K., Ornitz, D.M., Olson, E.N., Marie, P.J., and Karsenty, G. 2004. A twist code determines the onset of osteoblast differentiation. *Developmental Cell*, 6, 423-435.
351. Anderson, J.P., Dodou, E., Heidt, A.B., De Val, S.J., Jaehnig, E.J., Greene, S.B., and Olson, E.N., and Black, B.L. 2004. HRC is a direct transcriptional target of MEF2 during cardiac, skeletal, and arterial smooth muscle development in vivo. *Molecular and Cellular Biology*, 24, 3757-3768.
352. Olson, E.N. 2004. Undermining the endothelium by ablation of MAP kinase-MEF2 signaling. *J. Clin. Invest.*, 113, 1110-1112.
353. Frey, N., Olson, E.N., and Hill, J.A. 2004. Hypertrophy of the heart: A new therapeutic target? *Circulation*, 109, 1580-1589.
354. Olson, E.N. 2004. A decade of discoveries in cardiac biology *Nature Medicine*, 10, 467-474.
355. Juhaszova, M., Zorov, D.B., Kim, S-H., Pepe, S., Cheng, L., Fishbein, K.W., Ziman, B.D., Wang, S., Ytrehus, K., Antos, C.L., Olson, E.N., and Sollott, S.J. 2004. Convergence of distinct cardioprotection mechanisms in heart: the permeability transition pore is the end-effector. *J. Clin. Invest.*, 113, 1535-1549.
356. Chen, E.H., and Olson, E.N. 2004. Toward a molecular pathway for myoblast fusion. *Trends in Cell Biology*, 14, 452-460.
357. Small, E.M., Warkman, A.S., Wang, D-Z., Sutherland, L., Olson, E.N., and Krieg, P.A. 2005. Myocardin is sufficient and necessary for cardiac gene expression in Xenopus. *Development*, 132, 987-997.
358. Oh, J., Wang, Z., Wang, D-Z., Lien, C-L., and Olson, E.N. 2004. Target gene-specific modulation of myocardin activity by GATA transcription factors. *Mol. & Cell Biol.*, 24, 8519-8528.
359. Chang, S., McKinsey, T.A., Zhang, C.L., Richardson, J.A., Hill, J., and Olson, E.N. 2004. Histone deacetylases 5 and 9 govern responsiveness of the heart to a subset of stress signals and play redundant roles in heart development. *Mol & Cell Biol.*, 24, 8467-8476.
360. Vega, R.B., Harrison, B.C., Meadows, E., Roberts, C.R., Papst, P.J., Olson, E.N., and McKinsey, T.A. 2004. Protein kinases C and D mediate agonist-dependent cardiac hypertrophy through nuclear export of histone deacetylase 5. *Mol & Cell Biol.*, 24, 8374-8385.
361. Wang, D-Z. and Olson, E.N. 2004. Control of smooth muscle development by the myocardin family of transcriptional coactivators. *Curr. Opin. Genet. & Dev.*, 14, 558-566.
362. Han, Z., Li, X., Wu, J., and Olson, E.N. 2004. A myocardin-related transcription factor regulates activity of serum response factor in Drosophila. *Proc. Natl. Acad. Sci. U.S.A.*, 101, 12567-12572.
363. Masino, A.M., Gallardo, T.D., Wilcox, C.A., Olson, E.N., Williams, R.S., and Garry, D.J. 2004 Transcriptional regulation of cardiac progenitor cell populations. *Circ. Res.*, 95, 389-397.
364. Konhilas, J.P., Maass, A.H., Luckey, S.W., Ikeda, K., Stauffer, B.L., Olson, E.N., and Leinwand, L.A. 2004. Sex modifies exercise and cardiac adaptation in the mouse. *Am. J. Physiol. Heart Circ. Physiol.*, 287: 2768-2776.
365. Frey, N., Barrientos, T., Shelton, J., Frank, D., Rutten, H., Gehring, D., Kuhn, C., Lutz, M., Rothermel, B., Bassel-Duby, R., Richardson, J.A., Katus, H.A., Hill, J.A., and Olson, E.N. 2004. Mice lacking calsarcin-1 are sensitized to calcineurin signaling and display accelerated cardiomyopathy in response to biomechanical stress. *Nature Medicine*, 10, 1336-1343.
366. Vega, R.B., Matsuda, K., Oh, J., Barbosa, A., Yang, X., Meadows, E., McAnally, J., Pomajzl, C., Shelton, J.M., Richardson, J.A., Karsenty, G., and Olson, E.N. 2004. Histone deacetylase 4 controls chondrocyte hypertrophy during skeletogenesis. *Cell*, 119, 555-566.
367. Cao, D., Wang, Z., Zhang, C., Oh, J., Xing, W., Li, S., Wang, D., and Olson, E.N. 2005. Modulation of smooth muscle gene expression by association of histone acetyltransferases and deacetylases with Myocardin. *Mol & Cell Biol.*, 25, 364-376.

368. Kathiriya, I.S., King, I.N., Murakami, M., Nakagawa, M., Astle, J.M., Gardner, K.A., Gerard, R.D., Olson, E.N., Srivastava, D., and Nakagawa, O. 2004. Hairy-related transcriptional factors inhibit GATA-dependent cardiac gene expression through a signal-responsive mechanism. *J. Biol. Chem.*, 279, 54937-54943.
369. McFadden, D.G., Barbosa, A.C., Richardson, J.A., Schneider, M.D., Srivastava, D., and Olson, E.N. 2005. The Hand1 and Hand2 transcription factors regulate expansion of the embryonic cardiac ventricles in a gene dosage-dependent manner. *Development*, 132, 189-201.
370. Wang, Z., Zhai, W., Richardson, J.A., Olson, E.N., Meneses, J.J., Firpo, M.T., Kang, C., Skarnes, W.C., and Tjian, R. 2004. Polybromo protein BAF180 functions in mammalian cardiac chamber maturation. *Genes & Dev.*, 18, 3106-3116.
371. McKinsey, T.A. and Olson, E.N. 2005. Toward transcriptional therapies for the failing heart: Chemical screens to modulate genes. *J. Clinical Investigation*, 115, 538-546.
372. McKinsey, T.A. and Olson, E.N. 2005. Regulation of muscle gene expression by histone deacetylases. In Class II Histone deacetylase: Transcriptional regulation and other cellular functions, E. Verdin. Ed., 107-128.
373. Li, S., Czubryt, M., McAnally, J., Bassel-Duby, R., Richardson, J.A., Wiebel, F.F., Nordheim, A., and Olson, E.N. 2005. Requirement for serum response factor for skeletal muscle growth and maturation revealed by tissue specific gene deletion in mice. *Proc. Natl. Acad. Sci., U.S.A.*, 102, 1082-1087.
374. Spencer, J.A., Hacker, S.L., Davis, E.C., Mecham, R.P., Knutsen, R.H., Li, D., Gerard, R.D., Richardson, J.A., Olson, E.N., and Yanagisawa, H. 2005. Altered vascular remodeling in fibulin-5 deficient mice reveals a role of fibulin-5 in smooth muscle cell proliferation and migration. *Proc. Natl. Acad. Sci., U.S.A.*, 102, 2946-2951.
375. Parra, M., Kasler, H., McKinsey, T.A., Olson, E.N., and Verdin, E. 2005. Protein kinase D1 phosphorylates HDAC7 and induces its nuclear export after TCR activation. *J. Biol. Chem.*, 280, 13762-13770.
376. Kuwahara, K., Barrientos, T., Pipes, C.C.T., Li, S., and Olson, E.N. 2005. Muscle-specific signaling mechanism that links actin dynamics to serum response factor. *Mol & Cell Biol.*, 25, 3173-3181.
377. Chen, E.H. and Olson, E.N. 2005. Unveiling the mechanisms of cell-cell fusion. *Science*, 308, 369-373.
378. Mejat, A., Ramond, F., Bassel-Duby, R., Khochbin, S., Olson, E.N., and Schaeffer, L. 2005. Histone deacetylase 9 couples neuronal activity to muscle chromatin acetylation and gene expression. *Nature Neuroscience*, 8, 313-321.
379. Zhang, S.X., Garcia, E.G., W, D.R., Marriott, S.J., Kadeer, N., Yu, W., Olson, E.N., Garry, D.J., Parmacek, M.J., and Schwartz, R.J. 2005. Identification of direct serum response factor gene targets during DMSO induced P19 cardiac cell differentiation. *J. Biol. Chem.*, 280, 19115-19126.
380. Phan, D., Rasmussen, T.L., Nakagawa, O., McAnally, J., Gottlieb, P.D., Tucker, P.W., Richardson, J.A., Bassel-Duby, R., and Olson, E.N. 2005. Bop, a regulator of right ventricular heart development, is a direct transcriptional target of MEF2C in the developing heart. *Development*, 132, 2669-2678.
381. Chang, S., Bezprozvanna, S., Li, S., and Olson, E.N. 2005. An expression screen reveals novel modulators of class II histone deacetylase phosphorylation. *Proc. Natl. Acad. Sci., U.S.A.*, 102, 8120-8125.
382. Han, Z. and Olson, E.N. 2005. Hand is a direct target of Tinman and GATA factors during Drosophila cardiogenesis and hematopoiesis. *Development*, 132, 3525-3536.
383. Oh, M., Rybkin, I., Copeland, V., Czubryt, M.P., Shelton, J.M., van Rooij, E., Richardson, J.A., Hill, J.A., De Windt, L.J., Bassel-Duby, R., Olson, E.N., and Rothermel, B.A. 2005. Calcineurin is necessary for the maintenance but not embryonic development of slow muscle fibers. *Mol. Cell. Biol.*, 25, 6629-6638.
384. Liu, Z-P., Wang, Z., and Olson, E.N. 2005. Phenotypic modulation of smooth muscle cells through interaction of Foxo4 and myocardin. *Developmental Cell*, 9, 261-270.
385. de Angelis, L., Zhao, J., Andreucci, J.J., Olson, E.N., Cossu, G., and McDermott, J.C. 2005. Regulation of vertebrate myotome development by the p38 MAP kinase-MEF2 signaling pathway. *Dev. Biol.*, 283, 171-179.
386. Fielitz, J., Olson, E.N., and Bassel-Duby, R. 2005. Mechanisms of normal cardiovascular growth and development. In Molecular mechanisms of cardiac hypertrophy and failure. R. Walsh, Ed.
387. Nakagawa, O., Arnold, M., Nakagawa, M., Hamada, H., Shelton, J.M., Kusano, H., Harris, T.M., Childs, G.,

- Campbell, K.P., Richardson, J.A., Nishino, I., and Olson, E.N. 2005. Centronuclear myopathy in mice lacking a novel muscle-specific protein kinase transcriptionally regulated by MEF2. *Genes & Development*, 19, 2066-2077.
388. McKinsey, T.A., Backs, J., and Olson, E.N. 2006. Control of cardiac hypertrophy and heart failure by histone acetylation/deacetylation. Novartis Foundation Symposium. Heart Failure: Molecules, Mechanisms and Therapeutic Targets, 274, 3-12; discussion 13-9, 152-5, 272-6. Review
389. Oh, J., Richardson, J.A., and Olson, E.N. 2005. Requirement of myocardin-related transcription factor-B for remodeling of branchial arch arteries and smooth muscle differentiation. *Proc. Natl. Acad. Sci., U.S.A.*, 102, 15122-15127.
390. McKinsey, T.A., Kuwahara, K., Bezprozvannaya, S., and Olson, E.N. 2006. Class II histone deacetylases confer signal responsiveness to the ankyrin-repeat proteins ANKRA2 and RFXANK. *Mol. Biol. Cell*, 17, 438-447.
391. Knapp, J., Davie, J.K., Myer, A., Meadows, E., Olson, E.N., and Klein, W.H. 2006. Loss of myogenin in postnatal life leads to normal skeletal muscle but reduced body size. *Development*, 133, 601-610.
392. Pipes, G.C.T., Sinha, S., Qi, X., Creemers, E.E., Sutherland, L., Zhu, C-H., Gallardo, T.D., Garry, D.J., Wright, W.E., Owens, G.K., and Olson, E.N. 2005. Stem cells and their derivatives can bypass the requirement of myocardin for smooth muscle gene expression. *Dev. Biol.*, 288, 502-513.
393. Murakami, M., Nakagawa, M., Olson, E.N., and Nakagawa, O. 2005. A WW domain protein TAZ is a critical co-activator for TBX5, a transcription factor implicated in Holt-Oram syndrome. *Proc. Natl. Acad. Sci., U.S.A.*, 102, 18034-18039.
394. Backs, J., Olson, E.N., and Bassel-Duby, R. 2005. Signal transduction pathways of the heart. In: Textbook of Cardiovascular Medicine. Dr. Topol, Ed.
395. Bassel-Duby, R. and Olson, E.N. 2006. Signaling pathways in skeletal muscle remodeling. *In Annual Review of Biochemistry*, 75, 19-37.
396. Kwon, C., Han, Z., Olson, E.N., and Srivastava, D. 2005. MicroRNA1 influences cardiac differentiation in Drosophila and regulates Notch signaling. *Proc. Natl. Acad. Sci., U.S.A.*, 102, 18986-18991.
397. Backs, J., and Olson, E.N. 2006. Control of cardiac growth by histone acetylation/deacetylation. *Circ. Res.*, 98, 15-24.
398. Matthews, S.A., Lui, P., Spitaler, M., Olson, E.N., McKinsey, T.A., Cantrell, D.A., and Scharenberg, A.M. 2006. Essential role for protein kinase D family kinases in the regulation of class II histone deacetylases in B lymphocytes. *Mol. Cell Biol.*, 26, 1569-1577.
399. Wu, X., Zhang, T., Bossuyt, J., Li, X., McKinsey, T., Dedman, J.R., Olson, E.N., Chen, J., Brown, J.H., and Bers, D.M. 2006. Local InsP3-dependent perinuclear calcium signaling in cardiac myocyte excitation-transcription coupling. *J. Clin. Invest.*, 116, 675-682.
400. Han, Z., Yi, P., Li, X., and Olson, E.N. 2006. Hand, an evolutionarily conserved bHLH transcription factor required for Drosophila cardiogenesis and hematopoiesis. *Development*, 133, 1175-1182.
401. Morrison, B.E., Majdzadeh, N., Zhang, X., Lyles, A., Bassel-Duby, R., Olson, E.N., and D'Mello, S.R. 2006. Neuroprotection by histone deacetylase-related protein. *Mol. Cell. Biol.*, 26, 3550-3564.
402. Davis, C.A., Haberland, M., Arnold, M.A., Sutherland, L.B., McDonald, O.G., Richardson, J.A., Childs, G., Harris, S., Owens, G.K., and Olson, E.N. 2006. PRISM/PRDM6, a transcriptional repressor that promotes the proliferative gene program in smooth muscle cells. *Mol. Cell. Biol.*, 26, 2626-2636
403. Harrison, B.C, Kim, M.-S., van Rooij, E., Plato, C.F., Papst, P.J., Vega, R.B., Richardson, J., Bassel-Duby, R., Olson, E.N., and McKinsey, T.A. 2006. Regulation of cardiac stress signaling by protein kinase D1. *Mol. Cell. Biol.*, 26, 3875-3888.
404. Song, K., Backs, J., McAnally, J., Qi, S., Gerard, R.D., Richardson, J.A., Hill, J.A., Bassel-Duby, R., and Olson, E.N. 2006. The transcriptional coactivator CAMTA2 stimulates cardiac growth by opposing class II histone deacetylases. *Cell*, 125, 453-466.
405. Iyer, D., Chang, D., Marx, J., Wei, L., Olson, E.N., Parmacek, M., Balasubramanyam, A., and Schwartz, R.J. 2006.

- Serum response factor MADS box serine-162 phosphorylation switches proliferation and myogenic gene programs. *Proc. Natl. Acad. Sci., U.S.A.*, 103, 4516-4521.
406. Xing, W., Zhang, T-C., Ca, D., Wang, Z., Antos, C.L., Li, S., Wang, Y., Olson, E.N., and Wang, D-Z. 2006. Myocardin induces cardiomyocyte hypertrophy. *Circ. Res.*, 98, 1089-1097.
407. Kong, Y., Lu, G., Tannous, P., Berenji, K., Rothermel, B.A., Olson, E.N., and Hill, J.A.. 2006. Suppression of class I and II histone deacetylases blunts pressure-overload cardiac hypertrophy. *Circulation*, 113, 2579-2588.
408. Pipes, G.C.T., Creemers, E.E., and Olson. E.N. 2006. The myocardin family of transcriptional coactivators: versatile regulators of cell growth, migration and myogenesis. *Genes & Dev.*, 20, 1545-1556.
409. Stupka, N., Plant, D.R., Schertzer, J.D., Emerson, T., Bassel-Duby, R., Olson, E.N., and Lynch, G.S. 2006. Activated calcineurin ameliorates contraction-induced injury to skeletal muscles of mdx dystrophic mice. *J. Physiol.*, 575, 645-656.
410. Backs, J., Song, K., Bezprozvannaya, S., Chang, S., and Olson, E.N. 2006. CaM kinase II selectively signals to histone deacetylase 4 during cardiomyocyte hypertrophy. *J. Clin. Invest.*, 116, 1853-1864.
411. Creemers, E.E., Sutherland, L.B., Oh, J., Barbosa, A.C., and Olson, E.N. 2006. Coactivation of MEF2 by the SAP domain proteins Myocardin and MASTR. *Molecular Cell*, 23, 83-96.
412. Chang, S., Young, B., Li, S., Qi, S., Richardson, J.A., and Olson, E.N. 2006. Histone deacetylase 7 maintains embryonic vascular integrity by repression of MEF2-dependent MMP10 expression. *Cell*, 126, 321-334.
413. Sharif, M.N., Susic, D., Rothlin, C.V., Kelly, E., Lemke, G., Olson, E.N., and Ivashkiv, L.B. 2006. Twist mediates suppression of inflammation by type I IFNs and Axl. *J. Exp. Med.*, 203, 1891-1901.
414. Li, S., Chang, S., Qi, S., Richardson, J.A., and Olson, E.N. 2006. Requirement of a Myocardin-related transcription factor for development of mammary myoepithelial cells. *Mol. Cell. Biol.*, 26, 5797-5808.
415. Xin, M., Davis, C.D., Molkentin, J.D., Lien, C-L., Duncan, S.A., Richardson, J.A., and Olson, E.N. 2006. A threshold of *GATA4* and *GATA6* expression is required for cardiovascular development. *Proc. Natl. Acad. Sci., U.S.A.*, 103, 11189-11194.
416. Yi, P., Han, Z., Li, X., and Olson, E.N. 2006. The Mevalonate pathway controls heart formation in Drosophila by isoprenylation of Gy1. *Science*, 313, 1301-1303.
417. Khoo, M.S.C., Li, J., Singh, M.V., Yang, Y., Kannankeril, Wu, Y., P., Grueter, Guan, X., C.E., Oddis, C.V., Zhang, R., Mendes, L., Ni, G., Madu, E., Yang, J., Bass, M., Gomez, R.J., Wadzinski, B.E., Olson, E.N., Colbran, R.J., and Anderson, M.E. 2006. Death, cardiac dysfunction and arrhythmias are increased by calmodulin kinase II in calcineurin cardiomyopathy. *Circulation*, 114, 1352-1359.
418. Galindo, R.L., Allport, J.A., and Olson, E.N. 2006. A Drosophila model of the rhabdomyosarcoma initiator PAX7-FKHR. *Proc. Natl. Acad. Sci., U.S.A.*, 103, 13439-13444.
419. Creemers, E.E., Sutherland, L.B., McAnally, J., Richardson, J.A., and Olson, E.N. 2006. Myocardin is a direct transcriptional target of MEF2, Tead and Foxo proteins during cardiovascular development. *Development*, 133, 4245-4256.
420. Olson, E.N. 2006. Gene regulatory networks in evolution and development of the heart. *Science*, 313, 1922-1927.
421. Bush, E.W., Hood, D.B., Papst, P.J., Chapo, J.A., Minobe, W., Bristow, M.R., Olson, E.N., and McKinsey, T.A. 2006. Canonical transient receptor potential channels promote cardiomyocyte hypertrophy through activation of calcineurin signaling. *J. Biol. Chem.*, 281, 33487-33496.
422. Liu, N., and Olson, E.N. 2006. Coactivator control of cardiovascular growth and remodeling. *Curr. Opin. Cell Biol.*, 18, 715-722.
423. Kuwahara, K., Wang, Y., McAnally, J., Richardson, J.A., Bassel-Duby, R., Hill, J., and Olson, E.N. 2006. TRPC6 fulfills a calcineurin signaling circuit during pathological cardiac remodeling. *J. Clin. Invest.*, 116, 3114-3126.
424. van Rooij, E., Sutherland, L.B., Liu, N., Williams, A.H., Gerard, R.D., Richardson, J.A., and Olson, E.N. 2006. A signature pattern of stress-responsive microRNAs that can evoke cardiac hypertrophy and heart failure. *Proc. Natl. Acad. Sci., U.S.A.*, 103, 18255-18260.

425. Wang, J., Li, A., Wang, Z-G., Feng, X-H., Olson, E.N., and Schwartz, R.J. 2007. Myocardin sumoylation transactivates cardiogenic genes in pluripotent 10T1/2 fibroblasts. *Mol. Cell. Biol.*, 27, 622-632.
426. Haberland, M., Arnold, M., McAnally, J., Phan, D., Kim, Y., and Olson, E.N. 2007. Regulation of HDAC9 gene expression by MEF2 establishes a negative-feedback loop in the transcriptional circuitry of muscle differentiation. *Mol. Cell Biol.*, 27, 518-525.
427. Garry, D.J., and Olson, E.N. 2006. A common progenitor at the heart of development. *Cell*, 127, 1101-1104.
428. Barrientos, T., Frank, D., Kuwahara, K., Bezprozvannaya, S., Bassel-Duby, R., Richardson, J.A., Katus, H.A., Olson, E.N., and Frey, N. 2007. Two novel members of the ABLIM protein family, ABLIM-2 and -3, associate with STARS and directly bind F-actin. *J. Biol. Chem.*, 282, 8393-8403.
429. Li, H., Liang, J., Castrillon, D.H., DePinho, R.A., Olson, E.N., and Liu, Z-P. 2007. Foxo4 regulates tumor necrosis factor alpha-directed smooth muscle cell migration by activating matrix metalloproteinase 9 gene transcription. *Mol. Cell Biol.*, 27, 2676-2686.
430. Luckey, S.W., Mansoori, J., Fair, K., Antos, C.L., Olson, E.N., and Leinwand, L.A. 2006. Blocking cardiac growth in hypertrophic cardiomyopathy induces cardiac dysfunction and decreased survival only in males. *Am. J. Physiol. Heart Circ. Physiol.* 292, H838-H845.
431. Arnold, M.A., Kim, Y., Czubryt, M.P., Phan, D., McAnally, J., Qi, X., Shelton, J.M., Richardson, J.A., Bassel-Duby, R., and Olson, E.N. 2007. The MEF2C transcription factor controls chondrocyte hypertrophy and bone development. *Dev. Cell* 12, 377-389.
432. Fielitz, J., van Rooij, E., Spencer, J.A., Shelton, J.M., Latif, S., van der Nagel, R., Bezprozvannaya, S., de Windt, L., Richardson, J.A., Bassel-Duby, R., and Olson, E.N. 2007. Loss of muscle-specific RING finger 3 predisposes the heart to cardiac rupture following myocardial infarction. *Proc. Natl. Acad. Sci., U.S.A.*, 104, 4377-4382.
433. Kuwahara, K., Pipes, G.C.T., McAnally, J., Richardson, J.A., Hill, J.A., Bassel-Duby, R., and Olson, E.N. 2007. Modulation of adverse cardiac remodeling by STARS, a mediator of MEF2 signaling and SRF activity. *J. Clin. Invest.*, 117, 1324-1334.
434. van Rooij, E., Sutherland, L.B., Qi, X., Richardson, J.A., Hill, J., and Olson, E.N. 2007. Control of stress-dependent cardiac growth and gene expression by a microRNA. *Science*, 316, 575-579.
435. Xin, M., Small, E.M., van Rooij, E., Qi, X., Richardson, J.A., Nakagawa, O., and Olson, E.N. 2007. Essential roles of the bHLH transcription factor Hrt2 in repression of atrial gene expression and maintenance of postnatal cardiac function. *Proc. Natl. Acad. Sci., U.S.A.*, 104, 7975-7980.
436. Stupka, N., Schertzer, J., Bassel-Duby, R., Olson, E.N., and Lynch, G.S. 2007. Calcineurin-A α activation enhances the structure and function of regenerating muscles after myotoxic injury. *Am. J. Physiol.*, 293, R686-94.
437. Potthoff, M.J., Wu, H., Arnold, M.A., Shelton, J., Backs, J., McAnally, J., Richardson, J., Bassel-Duby, R., and Olson, E.N. 2007. Histone deacetylase degradation and MEF2 activation promote the formation of slow-twitch myofibers. *J Clin Invest.*, 117, 2459-2467.
438. Murchison, N.D., Price, B.A., Conner, D.A., Keene, D.R., Olson, E.N., Tabin, C.J., and Schweitzer, R. 2007. Regulation of tendon differentiation by scleraxis distinguishes force-transmitting tendons from muscle-anchoring tendons. *Development*, 134, 2697-2708.
439. Montgomery, R., Davis, C., Potthoff, M., Haberland, M., Fielitz, J., Qi, X., Hill, J.A., Richardson, J.A., and Olson, E.N. 2007. Histone deacetylases 1 and 2 redundantly regulate cardiac morphogenesis growth and contractility. *Genes & Dev.*, 21, 1790-1802.
440. Davies, J.A.K., Ermak, G., Rothermel, B.A., Pritchard, M., Heitman, J., Ahnn, J., Henrique-Silva, J., et al. 2007. Renaming the DSCR1/Adapt78 gene family as RCAN: regulators of calcineurin. *FASEB J.* 21, 3023-3028.
441. Fielitz, J., Kim, M-S., Shelton, J.M., Latif, S., Spencer, J.A., Glass, D.J., Richardson, J.A., Bassel-Duby, R., and Olson, E.N. 2007. Myosin accumulation and striated muscle myopathy result from the loss of Muscle RING Finger 1 and 3. *J Clin Invest.*, 117, 2486-2495.
442. van Rooij, E., and Olson, E.N. 2007. MicroRNAs: Powerful new regulators of heart disease and proactive therapeutic targets. *J Clin Invest.*, 117, 2369-2376.

443. Barbosa, A.C., Funato, N., Chapman, S., McKee, M.D., Richardson, J.A., Olson, E.N., and Yanagisawa, H. 2007. Hand transcription factors cooperatively regulate development of the distal midline mesenchyme. *Developmental Biology*, 310, 154-168.
444. Tao, R., de Zoeten, E., Ozkaynak, E., Chen, C., Wang, L., Porrett, P.M., Li, B., Turka, L.A., Olson, E.N., Greene, M.I., Wells, A.D., and Hancock, W.W. 2007. Deacetylase inhibition promotes the generation and function of regulatory T cells. *Nature Medicine*, 13, 1299-1307.
445. Potthoff, M., Olson, E.N., and Bassel-Duby, R. 2007. Skeletal muscle remodeling. *Curr. Opin. of Rheum.*, 19, 542-549.
446. Wu, H., Kao, S-C., Barrientos, T., Baldwin, S.H., Olson, E.N., Crabtree, G.R., Zhou, B., and Chang, C-P. 2007. Down syndrome critical region-1 is a transcriptional target of nuclear factor of activated T cells-c1 within the endocardium during heart development. *J. Biol. Chem.*, 282, 30673-30679.
447. van Rooij, E., and Olson, E.N. 2007. MicroRNAs put their signatures on the heart. *Physiol. Genomics*, 31, 365-366.
448. Xu, X., Ha, C-H., Wong, C., Wang, W., Hausser, A., Pfizenmaier, K., Olson, E.N., McKinsey, T.A., and Jin, Z-G. 2007. Angiotensin II stimulates protein kinase D dependent histone deacetylase 5 phosphorylation and nuclear export leading to vascular smooth muscle cell hypertrophy. *Arterioscler. Thromb. Vasc. Biol.*, 27, 2355-2362.
449. Rybkin, I.I., Kim, M-S., Bezprozvannaya, S., Qi, X., Richardson, J.A., Plato, C.F., Hill, J.A., Bassel-Duby, R. and Olson, E.N. 2007. Regulation of atrial natriuretic peptide secretion by a novel Ras-like protein. *J. Cell Biol.*, 179, 527-537.
450. Potthoff, M.J., Arnold, M.A., McAnally, J., Richardson, J.A., Bassel-Duby, R., and Olson, E.N. 2007. Regulation of skeletal muscle sarcomere integrity and postnatal muscle function by *Mef2c*. *Mol. Cell. Biol.*, 27, 8143-8151.
451. Potthoff, M.J., and Olson, E.N. 2007. MEF2: A central regulator of diverse developmental programs. *Development*, 134, 4131-4140.
452. Long, X., Creemers, E.E., Wang, D-Z., Olson, E.N., and Miano, J.M. 2007. Myocardin is a bifunctional switch for smooth versus skeletal muscle differentiation. *Proc. Natl. Acad. Sci., U.S.A.*, 104, 16570-16575.
453. Renthal, W., Maze, I., Krishnan, V., Covington, H., Xiao, G., Kumar, A., Russo, S.J., Graham, A., Tsankova, N., Kippin, T.E., Kerstetter, K.A., Neve, R.L., Haggarty, S.J., McKinsey, T., Bassel-Duby, R., Olson, E.N., and Nestler, E.J. 2007. Histone deacetylase 5 epigenetically controls behavioral adaptations to chronic emotional stimuli. *Neuron*, 56, 517-529.
454. Zhang, T., Kohlhaas, M., Backs, J., Mishra, S., Phillips, W., Dybkova, N., Chang, S., Ling, H., Bers, D.M., Maier, L.S., Olson, E.N., and Brown, J.H. 2007. CaMKII δ isoforms differentially affect calcium handling but similarly regulate HDAC/MEF2 transcriptional responses. *J. Biol. Chem.*, 282, 35078-35087.
455. Kim, Y., Phan, D., van Rooij, E., Wang, D-Z., McAnally, J., Qi, X., Richardson, J.A., Hill, J.A., Bassel-Duby, R., and Olson, E.N. 2007. The MEF2D transcription factor mediates stress-dependent cardiac remodeling in mice. *J. Clin. Invest.*, 118, 124-132.
456. Sadek, H., Hannack, B., Choe, E., Wang, J., Latif, S., Garry, M.G., Garry, D.J., Longgood, J., Frantz, D.E., Olson, E.N., Hsieh, J., and Schneider, J.W. 2008. Cardiogenic small molecules that enhance myocardial repair by stem cells. *Proc. Natl. Acad. Sci., U.S.A.*, 105, 6063-6068.
457. Liu, N., Williams, A.H., Kim, Y., McAnally, J., Bezprozvannaya, S., Sutherland, L.B., Richardson, J.A., Bassel-Duby, R., and Olson, E.N. 2007. An intragenic MEF2-dependent enhancer directs muscle-specific expression of the microRNAs 1 and 133. *Proc. Natl. Acad. Sci., U.S.A.*, 104, 20844-20849.
458. Fielitz, J., Kim, M.S., Shelton, J.M., Qi, X., Hill, J.A., Richardson, J.A., Bassel-Duby, R., and Olson, E.N. 2008. Requirement of protein kinase D1 for pathological cardiac remodeling. *Proc. Natl. Acad. Sci., U.S.A.*, 105, 3059-3063.
459. Hill, J.A., and Olson, E.N. 2007. Cardiac plasticity. *New England Journal of Medicine*, 358, 1370-1380.
460. van Rooij, E., Liu, N., Olson, E.N. 2007. MicroRNAs flex their muscles. *Trends in Genetics*, 24, 159-165.

461. Stupka, N., Schetzer, J.D., Bassel-Duby, R., Olson, E.N., and Lynch, G.S. 2008. Stimulation of calcineurin-A activity attenuates muscle pathophysiology in mdx dystrophic mice. *Am. J. Physiol. Regul. Integr. Comp. Physiol.*, 294, R983-992.
462. Backs, J., Backs, T., Bezprozvannaya, S., McKinsey, T.A., and Olson, E.N. 2008. Histone deacetylase 5 acquires calcium/calmodulin-dependent kinase II responsiveness by oligomerization with histone deacetylase 4. *Mol. Cell Biol.*, 28, 3437-3445.
463. Schuler, A., Schweiger, M., Engelmann, A., Weber, K., Horn, S., Muller, U., Arnold, M.A., Olson, E.N., and Stocking, C. 2008. The MADS transcription factor Mef2c is a pivotal modulator of myeloid cell fate. *Blood*, 111, 4532-4541.
464. Ha, C.H., Wang, W., Jhun, B.S., Wong, C., Hausser, A., Pfizenmaier, K., McKinsey, T.A., Olson, E.N., and Jin, Z-G. 2008. Protein kinase D-dependent phosphorylation and nuclear export of histone deacetylase 5 mediates vascular endothelial growth factor-induced gene expression and angiogenesis. *J. Biol. Chem.*, 283, 14590-14599.
465. Barth, A.S., Kizana, E., Smith, R.R., Terrovitis, J., Dong, P., Leppo, M.K., Zhang, Y., Miake, J., Olson, E.N., Schneider, J.W., Abraham, M.R., and Marban, E. 2008. Lentiviral vectors bearing the cardiac promoter of the Na⁺-Ca²⁺ exchange report cardiogenic differentiation in stem cells. *Mol. Therapy*, 16, 957-964.
466. Tao, R., de Zoeten, E.F., Ozkaynak, E., Chen, C., Wang, L., Porrett, P.M., Li, B., Turka, L.A., Olson, E.N., Greene, M.I., Wells, A.D., and Hancock, W.W. 2007. Deacetylase inhibition promotes the generation and function of regulatory T cells. *Nat. Med.*, 13, 1299-1307.
467. Barbosa, A.C., Kim, M-S., Ertunc, M., Adachi, M., Nelson, E.D., McAnally, J., Richardson, J.A., Kavalali, E.T., Monteggia, L.M., Bassel-Duby, R., and Olson, E.N. 2008. MEF2C, a transcription factor that facilitates learning and memory by negative regulation of synapse numbers and function. *Proc. Natl. Acad. Sci., U.S.A.*, 105, 9391-9396.
468. Kim, M-S., Fielitz, J., McAnally, J., Shelton, J.M., Lemon, D.D., McKinsey, T.A., Richardson, J.A., Bassel-Duby, R., and Olson, E.N. 2008. Protein kinase D1 stimulates MEF2 activity in skeletal muscle and enhances muscle performance. *Mol. Cell Biol.*, 28, 3600-3609.
469. Wang, S., Li, X., Parra, M., Verdin, E., Bassel-Duby, R., and Olson, E.N. 2008. Control of endothelial cell proliferation and migration by VEGF signaling to histone deacetylase 7. *Proc. Natl. Acad. Sci., U.S.A.*, 105, 7738-7743.
470. Majdzadeh, N., Wang, L., Morrison, B.E., Bassel-Duby, R., Olson, E.N., and D'Mello, S.R. 2008. HDAC4 inhibits cell-cycle progression and protects neurons from cell death. *Dev. Neurobiol.*, 1076-1092.
471. van Rooij, E., Sutherland, L.B., Thatcher, J.E., DiMaio, J.M., Naseem, R.H., Marshall, W.S., Hill, J.A., and Olson, E.N. 2008. Dysregulation of microRNAs after myocardial infarction reveals a role of miR-29 in cardiac fibrosis. *Proc. Natl. Acad. Sci., U.S.A.*, 105, 13027-13032.
472. Renthal, W., Carle, T.L., Maze, I., Covington, H.E., Truong, H-T., Alibhai, I., Kumar, A., Montgomery, R.L., Olson, E.N., and Nestler, E.J. 2008. {Delta}FosB mediates epigenetic desensitization of the c-fos gene after chronic amphetamine exposure. *J. Neuroscience* 28, 7344-7349.
473. Wang, S., Aurora, A.B., Johnson, B.A., Qi, X., McAnally, J., Hill, J.A., Richardson, J.A., Bassel-Duby, R., and Olson, E.N. 2008. The endothelial-specific microRNA miR-126 governs vascular integrity and angiogenesis. *Dev Cell.*, 15, 261-271.
474. Montgomery, R.L., Potthoff, M.J., Haberland, M., Qi, X., Matsuzaki, S., Humphries, K.M., Richardson, J.A., Bassel-Duby, R., and Olson, E.N. 2008. Maintenance of cardiac energy metabolism by histone deacetylase3 in mice. *J. Clin. Invest.*, 118, 3588-3597.
475. Frey, N., Frank, D., Lippl, S., Kuhn, C., Kögler, H., Barrientos, T., Rohr, C., Will, R., Müller, O., Weiler, H., Bassel-Duby, R., Katus, H. A., and Olson, E.N. 2008. Calsarcin-2 deficiency increases exercise capacity in mice through calcineurin/NFAT activation. *J. Clin. Invest.*, 118, 3598-3608.
476. Liu, N., Bezprozvannaya, S., Williams, A.H., Qi, X., Richardson, J.A., Bassel-Duby, R., and Olson, E.N. 2008. microRNA-133a regulates cardiomyocyte proliferation and suppresses smooth muscle gene expression in the heart. *Genes & Dev.*, 22, 3242-3254.

477. van Rooij, E., Marshall, W.S., and Olson, E.N. 2008. Toward microRNA-based therapeutics for heart disease-the sense in antisense. *Circ. Res.*, 103, 919-928.
478. Yi, P., Johnson, A.N., Han, Z., Wu, J., and Olson, E.N. 2008. Heterotrimeric G proteins regulate a non-canonical function of septate junction proteins to maintain cardiac integrity in Drosophila. *Dev. Cell*, 15, 704-713.
479. Sharabi, A.B., Aldrich, M., Susic, D., Olson, E.N., Friedman, A.D., Lee, S-H., and Chen, S-Y. 2008. Twist-2 controls myeloid lineage development and function. *PLoS Biology*, 6, e316.
480. Takemori, H., Katoh Hashimoto, Y., Nakae, J., Olson, E.N., Okamoto, M. 2009. Inactivation of HDAC5 by SIK1 in AICAR-treated C2C12 myoblasts. *Endocr. J.*, 56, 121-130.
481. Haberland, M., Montgomery, R.L., and Olson, E.N. 2009. The many roles of histone deacetylases in development and physiology: implications for disease and therapy. *Nature Rev. Genetics* 10, 32-42.
482. Williams, A.H., Liu, N., van Rooij, E., and Olson, E.N. 2009. MicroRNA control of muscle development and disease. *Current Opinion in Cell Biology*, 21, 461-469.
483. van Rooij, E. and Olson, E.N. 2009. Searching for MiR-acles in cardiac fibrosis. *Circ. Res.* 104, 138-140.
484. Ferdous, A., Caprioli, A., Lacovino, M., Martin, C.M., Morris, J., Richardson, J.A., Latif, S., Hammer, R.E., Harvey, R.P., Olson, E.N., Kyba, M., and Garry, D.J. 2009. Nkx2-5 transactivates the Ets-related protein 71 gene and specifies an endothelial/endocardial fate in the developing embryo. *Proc. Natl. Acad. Sci., U.S.A.*, 106, 814-819.
485. Liu, N., Barbosa, A.C., Chapman, S.L., Bezprozvannaya, S., Qi, X., Richardson, J.A., Yanagisawa, H., and Olson, E.N. 2009. DNA binding-dependent and independent functions of the Hand2 transcription factor during mouse embryogenesis. *Development*, 136, 933-942.
486. Gekas, C., Rhodes, K.E., Gereige, L.M., Helgadottir, H., Ferrari, R., Kurdistani, S.K., Montecino-Rodriguez, E., Bassel-Duby, R., Olson, E.N., Krivtsov, A.V., Armstrong, S., Orkin, S.H., Pellegrini, M., and Mikkola, H.K. 2009. Mef2C is a lineage-restricted target of Scl/Tal1 and regulates megakaryopoiesis and B cell homeostasis. *Blood*, 113, 3461-3471.
487. Luckey, S.W., Walker, L.A., Smyth, T., Mansorri, J., Messmer-Kratzsch, A., Rosenzweig, A., Olson, E.N., and Leinwand, L. 2009. The role of Akt/GSK-3beta signaling in familial hypertrophic cardiomyopathy. *J. Mol. Cell. Card.*, 46, 739-747.
488. Montgomery, R., Hsieh, J., Barbosa, A., Richardson, J.A., and Olson, E.N. 2009. Histone deacetylases 1 and 2 control the progression of neural precursors to neurons during brain development. *Proc. Natl. Acad. Sci., U.S.A.*, 106, 7876-7881.
489. Ye, F., Chen, Y., Hoang, T.N., Montgomery, R.L., Zhao, Z-H., Bu, Z., Hu, T., Taketo, M.M., van Es, J.H., Clevers, H., Hsieh, J., Bassel-Duby, R., Olson, E.N., and Lu, Q.R. 2009. HDAC1 and HDAC2 regulate oligodendrocyte differentiation by disrupting β -catenin-TCF interaction. *Nature Neuroscience*, 12, 829-838.
490. Haberland, M., Johnson, A., Mokalled, M.H., Montgomery, R.L., and Olson, E.N. 2009. Genetic dissection of histone deacetylase requirement in tumor cells. *Proc. Natl. Acad. Sci., U.S.A.*, 106, 7751-7755.
491. Bock-Marquette, I., Srivastava, S., Pipes, G.C., Thatcher, J.E., Blystone, A., Shelton, J.M., Galindo, C.L., Melegh, B., Srivastava, D., Olson, E.N., and DiMaio, J.M. 2009. Thymosin beta4 mediated PKC activation is essential to initiate the embryonic coronary development program and epicardial progenitor cell activation in adult mice in vivo. *J. Mol. Cell Cardiol.*, 46, 728-738.
492. Wang, S., and Olson, E.N. 2009. AngiomiRs-key regulators of angiogenesis. *Curr. Opin. Genet. Dev.*, 19, 205-211.
493. Akhtar, M., Raingo, J., Nelson, E., Montgomery, R., Olson, E.N., Kavalali, E., and Monteggia, L. 2009. Histone deacetylases 1 and 2 form a developmental switch that controls excitatory synapse maturation and function. *J Neuroscience*, 29, 8288-8297.
494. Haberland, M., Mokalled, M., Montgomery, R., and Olson, E.N. 2009. Epigenetic control of skull morphogenesis by histone deacetylase 8. *Genes & Dev.*, 23, 1625-1630.

495. Munshi, N.V., McNally, J., Bezprozvannaya, S., Berry, J.M., Richardson, J.A., Hill, J.A., and Olson, E.N. 2009. Cx30.2 enhancer analysis identifies Gata4 as a novel regulator of atrioventricular delay. *Development*, 136, 2665-2674.
496. Timmins, J., Ozcan, L., Seimon, T.A., Li, G., Malagelada, C., Backs, J., Backs, T., Bassel-Duby, R., Olson, E.N., Anderson, M.E., and Tabas, I. 2009. Calcium/calmodulin-dependent protein kinase II links ER stress with Fas and mitochondrial apoptosis pathways. *J. Clin. Invest.*, 119, 2925-2941.
497. Schwieger, M., Schuler, A., Forster, M., Engelmann, A., Arnold, M.A., Delwel, R., Valk, P.J., Lohler, J., Slany, R.K., Olson, E.N., and Sticking, C. 2009. Homing and invasiveness of MLL/ENL leukemic cells is regulated by MEF2C. *Blood*, 114, 2476-2488.
498. Koshiba-Takeuchi, K., Mori, A.D., Kaynak, B.L., Cebra-Thomas, J., Sukonnik, T., Georges, R.O., Latham, S., Beck, L., Henkelman, R.M., Black, B.L., Olson, E.N., Wade, J., Takeuchi, J.K., Nemer, M., Gilbert, S.F., and Bruneau, B.G. 2009. Reptilian heart development and the molecular basis of cardiac chamber evolution. *Nature*, 461, 95-98.
499. Sag, C.M., Wadsack, D.P., Khabbazzadeh, S., Abessor, M., Grefe, C., Neumann, K., Opeila, M-K., Backs, J., Olson, E.N., Brown, J.H., Neef, S., Maier, S.K.G., and Maier, L.S. 2009. CaMKII contributes to cardiac arrhythmogenesis in heart failure. *Circ. Heart Fail.*, 2, 664-665.
500. Xin, M., Small, E.M., Sutherland, L.B., Qi, X., McAnally, J., Plato, C.F., Richardson, J.A., Bassel-Duby, R., and Olson, E.N. 2009. MicroRNAs miR-143 and miR-145 modulate cytoskeletal dynamics and responsiveness of smooth muscle cells to injury. *Genes & Dev.*, 23, 2166-2178.
501. van Rooij, E., Fielitz, J., Sutherland, L.B., Thijssen, V.L., Crijns, H.J., DiMaio, M.J., Shelton, J., De Windt, L.J., Hill, J.A., and Olson, E.N. 2010. Myocyte enhancer factor 2 and class II histone deacetylases control a gender-specific pathway of cardioprotection mediated by the estrogen receptor. *Circ. Res.*, 106, 155-165.
502. van Rooij, E., Quiat, D., Johnson, B.A., Sutherland, L.B., Qi, X., Richardson, J.A., Kelm Jr., R.J., and Olson, E.N. 2009. A family of microRNAs encoded by myosin genes governs myosin expression and muscle performance. *Dev. Cell*, 17, 662-673.
503. Williams, A.H., Valdez, G., Moresi, V., Qi, X., McAnally, J., Elliott, J.L., Bassel-Duby, R., Sanes, J.R., and Olson, E.N. 2009. MicroRNA-206 delays ALS progression and promotes regeneration of neuromuscular synapses in mice. *Science*, 326, 1549-1554.
504. Backs, J., Backs, T., Neef, S., Kreusser, M.M., Lehmann, L.Z., Patrick, D.M., Grueter, C.E., Qi, X., Richardson, J.A., Hill, J.A., Katus, H.A., Bassel-Duby, R., Maier, L.S., and Olson, E.N. 2010. The δ isoform of CaM kinase II is required for pathological cardiac hypertrophy and remodeling after pressure overload. *Proc. Natl. Acad. Sci., U.S.A.*, 106, 2342-2347.
505. Small, E.M., Frost, R.J.A., and Olson, E.N. 2010. MicroRNAs add a new dimension to cardiovascular disease. *Circulation*, 121, 1022-1032.
506. Young, B.D. and Olson, E.N. 2010 Histone deacetylases in cardiovascular development and disease. In: *Heart Development and Regeneration*, N. Rosenthal and R. Harvey (Eds.) (Academic Press, New York), pp. 717-729.
507. Zernecke, A., Bidzhekov, K., Noels, H., Shagdarsuren, E., Gan, L., Denecke, B., Hristov, M., Koppell, T., Jahantigh, M.N., Lutgens, E., Wang, S., Olson, E.N., Schober, A., and Weber, C. 2009. Delivery of microRNA-126 by apoptotic bodies induces CXCL12-dependent vascular protection. *Science Signaling*, 2, 1-11.
508. Seeger, T.S., Frank, D., Rohr, C., Will, R., Just, S., Grund, C., Lyon, R., Luedde, M., Koegl, M., Sheikh, F., Rottbauer, W., Franke, W.W., Katus, H.A., Olson, E.N. and Frey, N. 2010. Myozap, a novel intercalated disc protein, activates serum response factor-dependent signaling and is required to maintain cardiac function in vivo. *Circ. Res.*, 106, 880-890.
509. Small, E.M., O'Rourke, J.R., Moresi, V., Sutherland, L.B., McAnally, J., Gerard, R.D., Richardson, J.A., and Olson, E.N. 2010. Regulation of PI3 Kinase/Akt signaling by muscle-enriched microRNA-486. *Proc. Natl. Acad. Sci., U.S.A.*, 107, 4218-4223.
510. Shimizu, E., Selvamurugan, N., Westendorf, J.J., Olson, E.N., and Patridge, N.C. 2010. HDAC4 represses matrix metalloproteinase-13 transcription in osteoblastic cells and parathyroid hormone controls this repression. *J. Biol.*

Chem., 285, 9616-9626.

511. Haberland, M., Carrer, M., Mokalled, M.H., Montgomery, R.L., and Olson, E.N. 2010. Redundant control of adipogenesis by histone deacetylases 1 and 2. *J. Biol. Chem.*, 285, 14663-14670.
512. Olson, E.N. and Nordheim, A. 2010. Linking actin dynamics and gene transcription to drive cellular motile functions. *Nature Rev. Mol. Cell Biol.*, 11, 353-365.
513. Jawerka, M., Colak, D., Dimou, L., Spiller, C., Lagger, S., Montgomery, R.L., Olson, E.N., Wurst, W., Göttlicher, M., and Götz, M. 2010. The specific role of histone deacetylase 2 in adult neurogenesis. *Neuron Glia Biol.*, April, 1-15.
514. Liu, N. and Olson, E.N. 2010. MicroRNA regulatory networks in cardiovascular development. *Dev. Cell*, 18, 510-525.
515. Ragu, C., Boukour, S., Elain, G., Wagner-Ballon, O., Raslova, H., Debili, N., Olson, E.N., Daegelen, D., Vainchenker, W., Bernard, O.A., and Penard-Lacronique, V. 2010. The serum response factor (SRF)/megakaryocytic acute leukemia (MAL) network participates in megakaryocyte development. *Leukemia*, 24, 1227-1230.
516. Mokalled, M.H., Johnson, A., Kim, Y., Oh, J., and Olson, E.N. 2010. Myocardin-related transcription factors regulate the Cdk5/Pctaire1kinase cascade to control neurite outgrowth, neuronal migration and brain development. *Development*, 137, 2365-2374.
517. Xu, L., Lai, D., Cheng, J., Lim, H.J., Keskanokwong, T., Backs, J., Olson, E.N., Wang, Y. 2010. Alterations of L-type calcium current and cardiac function in CaMKII δ knockout mice. *Circ. Res.*, 107, 398-407.
518. Frost, R., Hamra, F.K., Richardson, J.A., Qi, X., Bassel-Duby, R., and Olson, E.N. 2010. MOV10L1 is necessary for piRNA-dependent protection of spermatocytes against retrotransposons. *Proc. Natl. Acad. Sci., U.S.A.*, 107, 11847-11852.
519. Patrick, D.M., Zhang, C.C., Huiyu, Y.T., Qi, X., Schwartz, R.J., Huang, L., and Olson, E.N. 2010. Defective erythroid differentiation in miR-451 mutant mice mediated by 14-3-3 ζ . *Genes & Dev.*, 24, 1614-1619.
520. Small, E.M., Thatcher, J.E., Sutherland, L.B., Kinoshita, H., Gerard, R.D., Richardson, J.A., DiMaio, J.M., Sadek, H., Kuwahara, K., and Olson, E.N. 2010. Myocardin-related transcription factor-A controls myofibroblast activation and fibrosis in response to myocardial infarction. *Circ. Res.*, 107, 294-304.
521. Srivastava, S., Srivastava, D., Olson, E.N., DiMaio, J.M., and Bock-Marquette, I. 2010. Thymosin beta4 and cardiac repair. *Ann. N. Y. Acad. Sci.*, 1194, 87-96.
522. Simsek, T., Kocabas, F., Zheng, J., DeBarardinis, R.J., Mahmoud, A.I., Olson, E.N., Schneider, J.W., Zhang, C.C., and Sadek, H.A. 2010. The distinct metabolic profile of hematopoietic stem cells reflects their location in a hypoxic niche. *Cell Stem Cell*, 7, 380-390.
523. Tukel, T., Sasic, D., Al-Gazali, L., Erazo, M., Casasnovas, J., Franco, H.L., Richardson, J.A., Olson, E.N., Cadilla, C.L., and Desnick, R.J. 2010. Homozygous nonsense mutations in TWIST2 cause Setleis syndrome. *Am. J. Hum. Genet.*, 87, 289-296.
524. Hatley, M.E., Patrick, D.M., Garcia, M.R., Richardson, J.A., Bassel-Duby, R., van Rooij, E., and Olson, E.N. 2010. Modulation of K-ras dependent lung tumorigenesis by microRNA-21. *Cancer Cell*, 18, 282-293.
525. Moresi, V., Williams, A.H., Meadows, E., Flynn, J.M., McAnally, J., Shelton, J.M., Backs, J., Klein, W.H., Richardson, J.A., Bassel-Duby, R., and Olson, E.N. 2010. Myogenin and class II HDACs control neurogenic muscle atrophy by inducing E3 ubiquitin ligases. *Cell*, 143, 35-45.
526. Frost, J.A., and Olson, E.N. 2010. Separating the good and evil of cardiac growth by C1B1 and calcineurin. *Cell Metabolism*, 12, 205-206.
527. Patrick, D.M., Montgomery, R.L., Qi, X., Obad, S., Kauppinen, S., Hill, J., van Rooij, E., and Olson, E.N. 2010. Stress-dependent cardiac remodeling in the absence of microRNA-21 in mice. *J. Clin. Invest.*, 120, 3912-3916.
528. Small, E.M., Sutherland, L., Rajagopalan, K., Wang, S., and Olson, E.N. 2010. MicroRNA-218 regulates vascular patterning by modulation of Slit-Robo signaling. *Circ. Res.*, 107, 1336-1344.

529. Konno, T., Chen, D., Wang, L., Wakimoto, H., Teekakirikul, P., Naylor, M., Kawana, M., Eminaga, S., Gorham, J.M., Pandya, K., Smithies, O., Naya, F.J., Olson, E.N., Seidman, J.G., and Seidman, C.E. 2010. Heterogeneous myocyte enhancer factor-2 (Mef2) activation in myocytes predicts focal scarring in hypertrophic cardiomyopathy. *Proc. Natl. Acad. Sci., U.S.A.*, 107, 18097-18102.
530. Vo, N.K., Dalton, R.P., Liu, N., Olson, E.N., and Goodman, R.H. 2010. Affinity purification of microRNA-133a with the cardiac transcription factor, Hand2. *Proc. Natl. Acad. Sci., U.S.A.*, 107, 19231-19236.
531. Porrello, E.R. and Olson, E.N. 2011. Building a new heart from old parts: stem cell turnover in the aging heart. *Circ. Res.*, 107, 1292-1294.
532. Small, E.M. and Olson, E.N. 2011. Pervasive roles of microRNAs in cardiovascular biology. *Nature*, 469, 336-342.
533. Russell, J.L., Goetsch, S.C., Gaiano, N.R., Hill, J.A., Olson, E.N., and Schneider, J.W. 2011. A dynamic notch injury response activates epicardium and contributes to fibrosis repair. *Circ. Res.*, 108, 51-59.
534. Tsuchihashi, T., Maeda, J., Shin, C., Ivey, K.N., Black, B., Olson, E.N., Yamagishi, H., and Srivastava, D. 2011. Hand2 function in second heart field progenitors is essential for cardiogenesis. *Dev. Biol.*, 351, 62-69.
535. Li, W., Li, H., Sanders, P.N., Mohler, P.J., Backs, J., Olson, E.N., Anderson, M.E., and Grumbach, I.M. 2011. The multifunctional Ca²⁺/calmodulin-dependent kinase II δ (CaMKIIδ) controls neointima formation after carotid ligation and vascular smooth muscle cell proliferation through cell cycle regulation by p21. *J. Biol. Chem.*, 286, 7990-7999.
536. Caprioli, A., Koyano-Nakagawa, N., Iacovino, M., Shi, X., Ferdous, A., Harvey, R.P., Olson, E.N., Kyba, M., and Garry, D.J. 2011. Nkx2-5 represses Gata1 gene expression and modulates the cellular fate of cardiac progenitors during embryogenesis. *Circulation*, 123, 1633-1641.
537. Porrello, E.R., Mahmoud, A.I., Simpson, E., Hill, J.A., Richardson, J.A., Olson, E.N., and Sadek, H.A. 2011. Transient regenerative potential of the neonatal mouse heart. *Science*, 331, 1078-1080.
538. Hoofnagle, M.H., Neppel, R.L., Berzin, E.L., Pipes, G.C.T., Olson, E.N., Wamhoff, B.W., Somlyo, A.V., and Owens, G.K. 2011. Myocardin is differentially required for the development of smooth muscle cells and cardiomyocytes. *Am. J. Physiol. Heart Circ. Physiol.*, 300, H1707-H1721.
539. Kasler, H.G., Young, B.D., Mottet, D., Lim, H.W., Collins, A.M., Olson, E.N., and Verdin, E. 2011. Histone deacetylases 7 regulates cell survival and TCR signaling in CD4/CD8 double-positive thymocytes. *J. Immunol.*, 186, 4782-4793.
540. Zhou, Q., Gallagher, R., Ufret-Vincenty, R., Li, X., Olson, E.N., and Wang, S. 2011. Regulation of angiogenesis and choroidal neovascularization by members of microRNA-23~27~24 clusters. *Proc. Natl. Acad. Sci., U.S.A.*, 108, 8287-8292.
541. Chen, Y., Wang, H., Yoon, S.O., Xu, X., Hottiger, M.O., Svaren, J., Nave, K.A., Kim, H.A., Olson, E.N., and Lu, Q.R. 2011. HDAC-mediated deacetylation of NF-κB is critical for Schwann cell myelination. *Nat. Neurosci.*, 14, 437-441.
542. Quiat, D., Koekler, K., Pei, J., Grishin, N., Grange, R., Bassel-Duby, R., and Olson, E.N. 2011. Concerted regulation of myofiber specific gene expression and muscle performance by the transcriptional repressor Sox6. *Proc. Natl. Acad. Sci., U.S.A.*, 108, 10196-10201.
543. Liu, N., Bezprozvannaya, S., Shelton, J.M., Frisard, M.I., Hulver, M.W., McMillan, R.P., Wu, Y., Voelker, K.A., Grange, R.W., Richardson, J.A., Bassel-Duby, R., and Olson, E.N. 2011. Mice lacking microRNA 133a develop dynamin 2-dependent centronuclear myopathy. *J. Clin. Invest.*, 22, 3242-3254.
544. Porrello, E.R., Johnson, B.A., Aurora, A.B., Simpson, E., Nam, Y-J., Matkovich, S.J., van Rooij, E., and Olson, E.N. 2011. The miR-15 family regulates post-natal mitotic arrest of cardiomyocytes. *Circ. Res.*, 109, 670-679.
545. Berry, J.M., Le, V., Rotter, D., Battiprolu, P.L., Grinsfelder, B., Tannous, P., Burchfield, J.S., Czubryt, M., Backs, J., Olson, E.N., Rothermel, B.A., and Hill, J.A. 2011. Reversibility of adverse, calcineurin-dependent cardiac remodeling. *Circ. Res.*, 109, 407-417.
546. Chatterjee, T.K., Idelman, G., Blanco, V., Blomkains, A.L., Piegore, M., Weintraub, D.S., Kumar, S., Rajsheker,

- S., Manka, D., Rudich, S.M., Tang, Y., Hui, D.Y., Bassel-Duby, R., Olson, E.N., Lingrel, J.B., Ho, S-M., and Weintraub, N.L. 2011. Histone deacetylase 9 is a negative regulator of adipogenic differentiation. *J. Biol. Chem.*, 286, 27836-27847.
547. Pei, J., Millay, D.P., Olson, E.N., and Grishin, N.V. CREST: a large superfamily of transmembrane receptors and hydrolases. *Biology Direct*, 6, 37-53.
548. Johnson, A.N., Mokalled, M.H., Haden, T.N., and Olson, E.N. 2011. JAK/Stat signaling regulates heart precursor diversification in *Drosophila*. *Development*, 138, 4627-4638.
549. Montgomery, R.L., Hullinger, T.G., Semus, H.M., Dickinson, B.A., Seto, A.G., Lynch, J.M., Stack, C., Latimer, P.A., Olson, E.N., and van Rooij, E. 2011. Therapeutic inhibition of miR-208a improves cardiac function and survival during heart failure. *Circulation*, 124, 1537-1547.
550. Backs, J., Worst, B.C., Lehmann, L.H., Patrick, D.M., Jebessa, Z., Kreuber, M., Sun, Q., Chen, L., Heft, C., Katus, H.A., and Olson, E.N. 2011. Selective repression of MEF2 activity by PKA-dependent proteolysis of HDAC4. *J. Cell Biol.*, 195, 403-415.
551. Xin, M., Kim, Y., Sutherland, L.B., Qi, X., McAnally, J., Schwartz, R.J., Richardson, J.A., Bassel-Duby, R., and Olson, E.N. 2011. Regulation of insulin-like growth factor signaling by Yap governs cardiomyocyte proliferation and embryonic heart size. *Science Signaling*, 196, ra70.
552. Hullinger, T.G. Montgomery, R.L., Seto, A.G., Dickinson, B.A., Semus, H.M., Lynch, J.M., Dalby, C.M., Robinson, K., Stack, C., Latimer, P.A., Hare, J.M., Olson, E.N., and van Rooij, E. 2012. Inhibition of miR-15 protects against cardiac ischemic injury. *Circ. Res.*, 110, 71-81.
553. Mokalled, M.H., Johnson, A., Creemers, E., and Olson, E.N. 2012. MASTR directs MyoD-dependent satellite cell differentiation during skeletal muscle regeneration. *Genes & Dev.*, 26, 190-202.
554. O'Rourke, J.R. and Olson, E.N. 2011. Modulating the microRNARchitecture of an aging aorta. *Circ. Res.*, 109, 1098-1099.
555. Frost, J.A. and Olson, E.N. 2012. Control of glucose homeostasis and insulin sensitivity by Let-7. *Proc. Natl. Acad. Sci., U.S.A.*, 108, 21075-21080.
556. Moresi, V., Carrer, M., Grueter, C.E., Rifki, O.F., Shelton, J.M., Richardson, J.A., Bassel-Duby, R., and Olson, E.N. 2012. Histone deacetylases 1 and 2 regulate autophagy flux and skeletal muscle homeostasis in mice. *Proc. Natl. Acad. Sci., U.S.A.*, 109, 1649-1654.
557. Mendell, J.T. and Olson, E.N. 2012. MicroRNAs in stress signaling and human disease. *Cell*, 148, 1172-1187.
558. Ma, P., Pan, H., Montgomery, R.L., Olson, E.N., and Schultz, R.M. 2012. Compensatory functions of histone deacetylase 1 (HDAC1) and HDAC2 regulate transcription and apoptosis during mouse oocyte development. *Proc. Natl. Acad. Sci., U.S.A.*, 109, E481-E489.
559. Aurora, A.B., Mahmoud, A.I., Luo, X-L., Johnson, B.A., van Rooij, E., Matsuzaki, S., Humphries, K.M., Hill, J.A., Bassel-Duby, R., Sadek, H.A., and Olson, E.N. 2012. microRNA-214 protects the mouse heart from ischemic injury by controlling Ca²⁺ overload and cell death. *J. Clin. Invest.* 122, 1222-1232.
560. Grueter, C.E., van Rooij, E., Johnson, B.A., DeLeon, S.M., Sutherland, L.B., Qi, X., Gautron, L., Elmquist, J.K., Bassel-Duby, R., and Olson, E.N. 2012. A cardiac microRNA governs systemic energy homeostasis by regulation of MED13. *Cell*, 149, 671-683.
561. Liu, N., Williams, A.H., Maxeiner, J.M., Bezprozvannaya, S., Shelton, J.M., Richardson, J.A., Bassel-Duby, R., and Olson, E.N. 2012. MicroRNA-206 promotes skeletal muscle regeneration and delays progression of Duchenne muscular dystrophy in mice. *J. Clin. Invest.*, 122, 2054-2065.
562. Quiat, D. and Olson, E.N. 2012. MicroRNAs in cardiovascular disease: from pathogenesis, to prevention and treatment. *J. Clin. Invest.*, 123, 11-18.
563. Zeve, D., Seo, J., Suh, J.M., Stenesen, D., Tang, W., Berglund, E.D., Wan, Y., Williams, L.J., Lim, A., Martinez, M.J., McKay, R.M., Millay, D.P., Olson, E.N., and Graff, J.M. 2012. Wnt signaling activation in adipose progenitors promotes insulin-independent muscle glucose uptake. *Cell Metabolism*, 15, 492-504.

564. Akhtar, M.W., Kim, M.S., Adachi, M., Morris, M.J., Richardson, J.A., Bassel-Duby, R., Olson, E.N., Kavalali, E.T. and Monteggia, L.M. 2012. In vivo analysis of MEF2 transcription factors in synapse regulation. *PLoS One*, 7, 1-10.
565. Acharya, A., Baek, S.T., Huang, G., Eskiocak, B., Goetsch, S., Sung, C.Y., Banfi, S., Sauer, M.F., Olsen, G.S., Duffield, J.S., Olson, E.N., and Tallquist, M.D. 2012. The bHLH transcription factor Tcf21 is required for lineage-specific EMT of cardiac fibroblast progenitors. *Development*, 139, 2139-2149.
566. Song, K., Nam, Y-J., Luo, X., Qi, X., Tan, W., Huang, G., Acharya, A., Smith, C.L., Tallquist, M.D., Neilson, E.G., Hill, J.A., Bassel-Duby, R., and Olson, E.N. 2012. Heart repair by reprogramming non-myocytes with cardiac transcription factors. *Nature*, 485, 599-604.
567. Sturgeon, C.M., Chicha, L., Ditadi, A., Zhou, Q., McGrath, K.E., Palis, J., Hammond, S.M., Wang, S., Olson, E.N., and Kelly, G. 2012. Primitive erythropoiesis is regulated by miR-126 via nonhematopoietic Vcam-1(+) cells. *Dev. Cell*, 23, 45-57.
568. Ferdaoussi, M., Bergeron, V., Zarrouki, B., Kolic, J., Cantley, J., Olson, E.N., Prentki, M., Biden, T., MacDonald, P.E., and Poitout, V. 2012. G protein-coupled receptor (GPR)40-dependent potentiation of insulin secretion in mouse islets is mediated by protein kinase D1. *Diabetologia*, 55, 2682-2692.
569. Caruso, P., Dempsie, Y., Stevens, H., McDonald, R.A., Long, L., Lu, R., White, K., Mair, K., McClure, J.D., Southwood, M., Upton, P., Xin, M., van Rooij, E., Olson, E.N., Morrell, N.W., Maclean, M.R., and Baker AH. 2012. A role for miR-145 in pulmonary arterial hypertension: evidence from mouse models and patient samples. *Circ. Res.*, 111, 290-300.
570. Carrer, M., Liu, N., Grueter, C.E., Williams, A.H., Frisard, M.I., Hulver, M.W., Bassel-Duby, R., and Olson, E.N. 2012. Control of mitochondrial metabolism and systemic energy homeostasis by microRNAs 378 and 378*. *Proc. Natl. Acad. Sci., U.S.A.*, 109, 15330-15335.
571. Kim, M-S., Akhtar, M.W., Adachi, M., Mahgoub, M., Bassel-Duby, R., Kavalali, E.T., Olson, E.N., and Monteggia, L.M. 2012. An essential role for histone deacetylase 4 in synaptic plasticity and memory formation. *J. Neurosci.*, 32, 10879-10886.
572. Hatley, M.E., Tang, W., Garcia, M.R., Finkelstein, D., Millay, D.P., Liu, N., Graff, J., Galindo, R.L., and Olson, E.N. 2012. A mouse model of rhabdomyosarcoma originating from the adipocyte lineage. *Cancer Cell*, 22, 536-546.
573. van Rooij, E. and Olson, E.N. 2012. MicroRNA therapeutics for cardiovascular disease: opportunities and obstacles. *Nature Reviews Drug Discovery*, 11, 860-872.
574. Huang, G.N., Thatcher, J.E., McAnally, J., Kong, Y., Qi, X., Tan, W., DiMaio, J.M., Amatruda, J.F., Gerard, R.D., Hill, J.A., Bassel-Duby, R., and Olson, E.N. 2012. C/EBP mediates epicardial activation during heart development and injury. *Science*, 338, 1599-1603.
575. Hill, J.A. and Olson, EN. 2012. Muscle: Fundamental Biology and Mechanisms of Disease. J.A. Hill and E.N. Olson (Eds.) Elsevier Science, New York.
576. Porrello, E.R., Mahmoud, A.I., Simpson, E., Johnson, B.A., Grinsfelder, D., Canseco, D., Mammen, P.A., Rothenberg, B.A., Olson, E.N., and Sadek, H.A., 2012. Regulation of neonatal and adult mammalian heart regeneration by the miR-15 family. *Proc. Natl. Acad. Sci., U.S.A.*, 110, 187-192.
577. Millay, D.P. and Olson, E.N. 2013. Making muscle or mitochondria by selective splicing of PGC-1 α . *Cell Metabolism*, 17, 3-4.
578. Nam, Y-J., Song, K., Luo, X., Daniel, E., Lambeth, K., West, K.A., Hill, J.A., DiMaio, J.M., Baker, L.A., Bassel-Duby, R., and Olson, E.N. 2013. Reprogramming of adult human fibroblasts toward a cardiac fate. *Proc. Natl. Acad. Sci., U.S.A.*, in press.
579. Nam, Y-J., Song, K. and Olson, E.N. 2013. Cardiac regeneration: From bench toward bedside. *Nature Medicine*, in press.
580. Weinl, C., Riehle, H., Park, D., Stritt, C., Beck, S., Huber, G., Wolburg, H., Olson, E.N., Seeliger, M.W., Adams, R.H., and Nordheim, A. 2013. Endothelial SRF/MRTF ablation causes vascular disease phenotypes in murine

retinea. *J. Clin. Invest.*, in press.

581. Ye, J., Llorian, M., Cardona, M., Rongvaux, A., Moubarak, R.S., Cormella, J.X., Bassel-Duby, R., Flavell, R.A., Olson, E.N., Smoth, C.W., and Sanchis, D. A pathway involving HDAC5, cFLIP and caspases regulates expression of the splicing regulator polypyrimidine tract binding protein in the heart. *J. Cell. Sci.*, in press.

Total citations = >53,000

h-index = 132