

Publications Prof. Michael Reth 1978-2013

Medgyesi D, Hobeika E, Biesen R, Kollert F, Taddeo A, Voll R, Hiepe F and **Reth M**. The protein tyrosine phosphatase PTP1B is a negative regulator of CD40 signaling and of B cell autoimmunity. **J Exp Med** 2014 *in press*

Fiala GJ, Kaschek D, Blumenthal B, **Reth M**, Timmer J, Schamel WW. Pre-clustering of the B cell antigen receptor demonstrated by mathematically extended electron microscopy. **Front Immunol**. 2013 Dec 6;4:427. doi: 10.3389/fimmu.2013.00427.

Blazek M, Betz C, Hall MN, **Reth M**, Zengerle R, Meier M. Proximity Ligation Assay for High-content Profiling of Cell Signaling Pathways on a Microfluidic Chip. **Mol Cell Proteomics**. 2013 Dec;12(12):3898-907. doi: 10.1074/mcp.M113.032821. Epub 2013 Sep 26.

Hug E, Hobeika E, **Reth M**, Jumaa H. Inducible expression of hyperactive Syk in B cells activates Blimp-1-dependent terminal differentiation. **Oncogene**. 2013 Aug 19. doi: 10.1038/onc.2013.326. [Epub ahead of print]

Thedieck K, Holzwarth B, Prentzell MT, Boehlke C, Kläsener K, Ruf S, Sonntag AG, Maerz L, Grellscheid SN, Kremmer E, Nitschke R, Kuehn EW, Jonker JW, Groen AK, **Reth M**, Hall MN, Baumeister R. Inhibition of mTORC1 by astrin and stress granules prevents apoptosis in cancer cells. **Cell**. 2013 Aug 15;154(4):859-74. doi: 10.1016/j.cell.2013.07.031.

Su YW, Chen YP, Chen MY, **Reth M**, Tan TH. The serine/threonine phosphatase PP4 is required for pro-B cell development through its promotion of immunoglobulin VDJ recombination. **PLoS One**. 2013 Jul 16;8(7):e68804. doi: 10.1371/journal.pone.0068804. Print 2013.

Reth M. Matching cellular dimensions with molecular sizes. **Nat Immunol**. 2013 Aug;14(8):765-7. doi: 10.1038/ni.2621.

Müller J, Obermeier I, Wöhner M, Brandl C, Mrotzek S, Angermüller S, Maity PC, **Reth M**, Nitschke L. CD22 ligand-binding and signaling domains reciprocally regulate B-cell Ca²⁺ signaling. **Proc Natl Acad Sci U S A**. 2013 Jul 23;110(30):12402-7. doi: 10.1073/pnas.1304888110. Epub 2013 Jul 8.

Kundu K, Costa F, Huber M, **Reth M**, Backofen R. Semi-supervised prediction of SH2-peptide interactions from imbalanced high-throughput data. **PLoS One**. 2013 May 17;8(5):e62732. doi: 10.1371/journal.pone.0062732. Print 2013.

Zietara N, Łyszkiewicz M, Puchałka J, Pei G, Gutierrez MG, Lienenklaus S, Hobeika E, **Reth M**, Martins dos Santos VA, Krueger A, Weiss S. Immunoglobulins drive terminal maturation of splenic dendritic cells. **Proc Natl Acad Sci U S A**. 2013 Feb 5;110(6):2282-7. doi: 10.1073/pnas.1210654110. Epub 2013 Jan 23.

Cooper, CL., Hardy, RR., Reth, M., and Desiderio, S. (2012). Non-cell-autonomous hedgehog signaling promotes murine B lymphopoiesis from hematopoietic progenitors. **Blood** 119(23): 5438-5448.

Hao, Z., Duncan, GS., Su, YW., Li, WY., Silvester, J., Hong, C., You, H., Brenner, D., Gorrini, C., Haight, J., Wakeham, A., You-Ten, A., McCracken, S., Elia, A., Li, Q., Detmar, J., Jurisicova, A., Hobeika, E., **Reth, M.**, Sheng, Y., Lang, PA., Ohashi, PS., Zhong, Q, Wang, X. and, Mak, TW. (2012). The E3 ubiquitin ligase Mule acts through the ATM-p53 axis to maintain B lymphocyte homeostasis. **J Exp Med** 209(1): 173-186.

Hoving, JC., Kirstein, F., Nieuwenhuizen, NE., Fick, LC., Hobeika, E., Reth; M., and Brombacher, F. (2012). B cells that produce immunoglobulin e mediate colitis in BALB/c mice. **Gastroenterology** 142: 96-108.

Mukherjee, O., Weingarten, L., Padberg, I., Pracht, C., Sinha, R., Hochdörfer, T., Kuppig, S., Backofen, R., **Reth, M.**, and Huber, M. (2012). The SH2-domain of SHIP1 C-terminus: impact on SHIP1/Ig- α interaction. **Biochim Biophys Acta** 1823(2): 206-214.

Schamel, WW., and **Reth, M.** (2012). Synthetic immune signaling. **Curr Opin Biotechnol** 23(5): 780-784.

Yang, J., and **Reth, M.** (2012). Drosophila S2 Schneider cells: a useful tool for rebuilding and redesigning approaches in synthetic biology. **Methods Mol Biol** 813:331-341.

Dempwolff, F., Reimold, C., **Reth, M.**, and Graumann, P.(2011). *Bacillus subtilis* MreB Orthologs Self-Organize into Filamentous Structures underneath the Cell Membrane in a Heterologous Cell System. **PLoS One** 6(11): e27035.

Rowh MA, DeMicco A, Horowitz JE, Yin B, Yang-Iott KS, Fusello AM, Hobeika E, **Reth M**, Bassing CH. Tp53 deletion in B lineage cells predisposes mice to lymphomas with oncogenic translocations. **Oncogene**. 2011 Nov 24;30(47):4757-64. doi: 10.1038/onc.2011.191

Winkelmann, R., Sandrock, L., Porstner, M., Roth, E., Mathews, M., Hobeika, E., **Reth, M.**, Kahn, ML., Schuh, W., and Jack, HM. (2011). B cell homeostasis and plasma cell homing controlled by Kruppel-like factor 2. **Proc Natl Acad Sci U S A** 108: 710-715.

Dopfer, EP., Schopf, B., Louis-Dit-Sully, C., Dengler, E., Hohne, K., Klescova, A., Prouza, M., Suchanek, M., **Reth, M.**,and Schamel, WW. (2010). Analysis of novel phospho-ITAM specific antibodies in a S2 reconstitution system for TCR-CD3 signalling. **Immunol Lett** 130: 43-50.

Heizmann, B., **Reth, M.**, and Infantino, S. (2010). Syk is a dual-specificity kinase which self-regulates the signal output from the BCR. **PNAS** 107(43): 18563-18568.

Infantino, S., Benz, B., Waldmann, T., Jung, M., Schneider, R. and **Reth, M.** (2010). Arginine methylation of the B cell antigen receptor promotes differentiation. **J Exp Med** 207(4): 711-719.

Übelhart, R., Bach, M., Eschbach, C., Wossning, T., **Reth, M.**, and Jumaa, H. (2010). N-linked glycosylation selectively regulates autonomous precursors BCR function. **Nat Immunol** 11(8): 759-765.

Yang, J., and **Reth, M.** (2010). Oligomeric organization of the B-cell antigen receptor on resting cells. **Nature** 467(7314): 465-469.

Yang, J. and **Reth, M.** (2010). The dissociation activation model of B cell antigen receptor triggering. **FEBS Letters** 584(24): 4872-4877.

Babbe, H., McMenamin, J., Hobeika, E., Wang, J., Rodig, SJ., **Reth, M.**, and Leder P. (2009). Genomic instability resulting from Blm deficiency compromises development, maintenance, and function of the B cell lineage. **J Immunol** 182(1): 347-60.

Düber, S., Hafner, M., Krey, M., Lienenklaus, S., Roy, B., Hobeika, E., **Reth, M.**, Bucht, T., Waisman, A., Kretschmer, K. and Weiss, S. (2009). **Blood** 114(24), 4960-4967.

Hombach, J., Tsubata, T., Leclercq, L., Stappert, H., **Reth, M.** (2009). Molecular components of the B-cell antigen receptor complex of the IgM class. 1990. **J Immunol** 183: 1505-1507.

Kulathu, Y., Grothe, G. and **Reth, M.** (2009). Autoinhibition and adapter function of Syk. **Immunol. Rev.** 232(1), 286-299.

Herzog, S., Hug, E., Meixsperger, S., Paik, JH, DePinho, RA, **Reth, M.**, and Jumaa, H. (2008). SLP-65 regulates immunoglobulin light chain gene recombination through the PI(3)K-PKB-Foxo pathway. **Nat Immunol** 9(6): 623-631.

Kulathu, Y., Hobeika, E., Turchinovich, G., and **Reth, M.** (2008). The kinase Syk as an adaptor controlling sustained calcium signaling and B-cell development. **EMBO J** 27(9): 1333-1344.

Minguet, S., Dopfer, EP., Pollmer, C., Freudenberg, MA., Galanos, C., **Reth, M.**, Huber, M., and Schamel, WW. (2008). Enhanced B-cell activation mediated by TLR4 and BCR crosstalk. **Eur J Immunol** 38(9): 2475-2487.

Schamel, WW., and **Reth, M.** (2008). Clustering Models. **Adv Exp Med Biol** 28(9): 2475-2487.

Thomas, LR., Miyashita, H., Cobb, RM., Pierce, S., Tachibana, M., Hobeika, E., **Reth, M.**, Shinkai, Y., and Oltz, EM.(2008). Functional analysis of histone methyltransferase g9a in B and T lymphocytes. **J Immunol** 181(1): 485-493.

Ferrari, S., Lougaris, V., Caraffi, S., Zuntini, R., Yang, J., Soresina, A., Meini, A., Cazzola, G., Rossi, C., **Reth, M.**, and Plebani, A. (2007). Mutations of the Igbeta gene cause agammaglobulinemia in man. **J Exp Med** 204(9): 2047-2051.

Liu, H., Schmidt-Suprian, M., Shi, Y., Hobeika, E., Barteneva, N., Jumaa, H., Pelanda, R., **Reth, M.**, Skok, J., and Rajewsky, K. (2007). Yin Yang is a critical regulator of B-cell development, **Genes Dev** 21(10): 1179-1189.

McLachlan, MS., Holmstrom, KE., **Reth, M.**, Berger, U. (2007). Riverine discharge of perfluorinated carboxylates from the European continent. **Environ Sci Technol** 41: 7260-7265.

Pracht C, Minguet S, Leitges M, **Reth M**, and Huber M. (2007) Association of protein kinase C-delta with the B cell antigen receptor complex, **Cell Signal** 19(4): 715-722.

Schamel, WW, and **Reth, M.** (2007). The TCR binding site does move, **Proc Natl Acad Sci USA** 104(42): 16398-16399.

Totsugawa T, Yong C, Rivas-Carrillo JD, Soto-Gutierrez A, Navarro-Alvarez N, Noguchi H, Okitsu T, Westerman KA, Kohara M, **Reth M**, Tanaka N, Leboulch P, and Kobayashi N. (2007). Survival of liver failure pigs by transplantation of reversibly immortalized human hepatocytes with Tamoxifen-mediated self-recombination, **J Hepatol** 47(1): 74-82.

Brummer, T., Martin, P., Herzog, S., Misawa, Y., Daly, R. J., and **Reth, M.** (2006). Functional analysis of the regulatory requirements of B-Raf and the B-Raf(V600E) oncoprotein. **Oncogene** 25, 6262-6276.

Hobeika, E., Thiemann, S., Storch, B. Jumaa, H., Nielson. P.J., Pelanda, R. and **Reth, M.** (2006) Testing gene function early in B cell lineage in mb1-cre mice. **PNAS** 103, 13789-13794.

Okamoto, K., Fujisawa, J., **Reth, M.**, and Yonehara, S. (2006). Human T-cell leukemia virus type-I oncoprotein tax inhibits Fas-mediated apoptosis by inducing cellular FLIP through activation of NF-kappaB. **Genes Cells** 11, 177-191.

Reth, M., Ceric, A., Christensen, GN., Heimstad, ES., Oehme, M. (2006). Short- and medium-chain chlorinated paraffins in biota from the European Arctic -- differences in homologue group patterns. **Sci Total Environ** 367: 252-260.

Sasaki, Y., Derudder, E., Hobeika, E., Pelanda, R., **Reth, M.**, Rajewsky, K. and Schmidt-Suprian, M. (2006). Canonical NF-kappaB activity, dispensable for B cell development, replaces BAFF-receptor signals and promotes B cell proliferation upon activation. **Immunity** 24, 729-739.

Siegers, G. M., Yang, J., Duerr, C. U., Nielsen, P. J., **Reth, M.** and Schamel, W. W. (2006). Identification of disulfide bonds in the Ig-alpha/Ig-beta component of the B cell antigen receptor using the Drosophila S2 cell reconstitution system. **Int Immunol** 18, 1385-1396.

Swamy, M., Kulathu, Y., Ernst, S., **Reth, M.**, and Schamel, W. W. (2006). Two dimensional Blue Native-/SDS-PAGE analysis of SLP family adaptor protein complexes. **Immunol Lett** 104, 131-137.

Kanayama, N., Todo, K., **Reth, M.**, and Ohmori, H. (2005). Reversible switching of immunoglobulin hypermutation machinery in a chicken B cell line. **Biochem Biophys Res Commun** 327, 70-75.

Kohler, F., Storch, B., Kulathu, Y., Herzog, S., Kuppig, S., **Reth, M.**, and Jumaa, H. (2005). A leucine zipper in the N terminus confers membrane association to SLP-65. **Nat Immunol** 6, 204-210.

Laugwitz, K. L., Moretti, A., Lam, J., Gruber, P., Chen, Y., Woodard, S., Lin, L. Z., Cai, C. L., Lu, M. M., **Reth, M.**, et al. (2005). Postnatal isl1+ cardioblasts enter fully differentiated cardiomyocyte lineages. **Nature** 433, 647-653.

Minguet, S., Huber, M., Rosenkranz, L., Schamel, W. W., **Reth, M.**, and Brummer, T. (2005). Adenosine and cAMP are potent inhibitors of the NF-kappa B pathway downstream of immunoreceptors. **Eur J Immunol** 35, 31-41.

Reth, M., Zencak, Z., Oehme, M. (2005). First study of congener group patterns and concentrations of short- and medium-chain chlorinated paraffins in fish from the North and Baltic Sea. **Chemosphere** 58: 847-854.

Reth, M., Zencak, Z., Oehme, M. (2005). New quantification procedure for the analysis of chlorinated paraffins using electron capture negative ionization mass spectrometry. **J Chromatogr A** 1081: 225-231.

Zencak, Z., Borgen, A., **Reth, M.**, Oehme, M. (2005). Evaluation of four mass spectrometric methods for the gas chromatographic analysis of polychlorinated n-alkanes. **J Chromatogr A** 1067: 295-301.

Brummer, T., Stehelin, D., Misawa, Y., and **Reth, M.** (2004b). A revised and complete map of the chicken c-mil/raf-1 locus. **Oncogene** 23, 3128-3131.

Elis, W., **Reth, M.**, and Huber, M. (2004). Functional folding of a cytoplasmic single-chain variable fragment and its use as elutable protein purification tag. **Immunol Lett** 92, 185-192.

Iwano, T., Tachibana, M., **Reth, M.**, Shinkai, Y. (2004). Importance of TRF1 for functional telomere structure. **J Biol Chem** 279: 1442-1448.

Reth, M., Oehme, M. (2004). Limitations of low resolution mass spectrometry in the electron capture negative ionization mode for the analysis of short- and medium-chain chlorinated paraffins. **Anal Bioanal Chem** 378: 1741-1747.

Tsukiyama-Kohara, K., Tone, S., Maruyama, I., Inoue, K., Katsume, A., Nuriya, H., et al. (2004). Activation of the CKI-CDK-Rb-E2F pathway in full genome hepatitis C virus-expressing cells. **J Biol Chem** 279, 14531-14541.

Wossning, T., and **Reth, M.** (2004). B cell antigen receptor assembly and Syk activation in the S2 cell reconstitution system. **Immunol Lett** 92, 67-73.

Brummer, T., Naegele, H., **Reth, M.**, and Misawa, Y. (2003). Identification of novel ERK-mediated feedback phosphorylation sites at the C-terminus of B-Raf. **Oncogene** 22, 8823-8834.

Flemming, A., Brummer, T., **Reth, M.**, and Jumaa, H. (2003). The adaptor protein SLP-65 acts as a tumor suppressor that limits pre-B cell expansion. **Nat Immunol** 4, 38-43.

Gerlach, J., Ghosh, S., Jumaa, H., **Reth, M.**, Wienands, J., Chan, AC., Nitschke, L. (2003). B cell defects in SLP65/BLNK-deficient mice can be partially corrected by the absence of CD22, an inhibitory coreceptor for BCR signaling. **Eur J Immunol** 33: 3418-3426.

Jumaa, H., Bossaller, L., Portugal, K., Storch, B., Lotz, M., Flemming, A., Schrappe, M., Postila, V., Riikinen, P., Pelkonen, J., Niemeyer, CM, **Reth, M.** (2003). Deficiency of the adaptor SLP-65 in pre-B-cell acute lymphoblastic leukaemia. **Nature** 423, 452-456.

Kersseboom, R., Middendorp, S., Dingjan, G. M., Dahlenborg, K., **Reth, M.**, Jumaa, H., and Hendriks, R. W. (2003). Bruton's tyrosine kinase cooperates with the B cell linker protein SLP-65 as a tumor suppressor in Pre-B cells. **J Exp Med** 198, 91-98.

Losch, F. O., Muller, R., Mutschler, B., Neri, D., Natali, P. G., **Reth, M.**, and Carsotti, R. (2003). Activation of T cells via tumor antigen specific chimeric receptors: the role of the intracellular signaling domain. **Int J Cancer** 103, 399-407.

Nitta, T., Chiba, A., Yamashita, A., Rowe, M., Israel, A., **Reth, M.**, Yamamoto, N., Yamaoka, S. (2003). NF-kappaB is required for cell death induction by latent membrane protein 1 of Epstein-Barr virus. **Cell Signal** 15: 423-433.

Saijo, K., Schmedt, C., Su, IH., Karasuyama, H., Lowell, CA., **Reth, M.**, Adachi, T., Patke, A., Santana, A., Tarakhovsky, A. (2003). Essential role of Src-family protein tyrosine kinases in NF-kappaB activation during B cell development. **Nat Immunol** 4: 274-279.

Schamel, W. W., Kuppig, S., Becker, B., Gimborn, K., Hauri, H. P., and **Reth, M.** (2003). A high-molecular-weight complex of membrane proteins BAP29/BAP31 is involved in the retention of membrane-bound IgD in the endoplasmic reticulum. **Proc Natl Acad Sci U S A** 100, 9861-9866.

Spiotto, M. T., **Reth, M.** A., and Schreiber, H. (2003). Genetic changes occurring in established tumors rapidly stimulate new antibody responses. **Proc Natl Acad Sci U S A** 100, 5425-5430.

Su, Y. W., Flemming, A., Wossning, T., Hobeika, E., **Reth, M.**, and Jumaa, H. (2003). Identification of a pre-BCR lacking surrogate light chain. **J Exp Med** 198, 1699-1706.

Watanabe, T., Shibata, N., Westerman, KA., Okitsu, T., Allain, JE., Sakaguchi, M., Totsugawa, T., Maruyama, M., Matsumura, T., Noguchi, H., Yamamoto, S., Hikida, M., Ohmori, A., **Reth, M.**, Weber, A., Tanaka, N., Leboulch, P., Kobayashi, N. (2003). Establishment of immortalized human hepatic stellate scavenger cells to develop bioartificial livers. *Transplantation* 75: 1873-1880.

Zencak, Z., **Reth, M.**, Oehme, M. (2003). Dichloromethane-enhanced negative ion chemical ionization for the determination of polychlorinated n-alkanes. *Anal Chem* 75: 2487-2492.

Breckenridge, DG., Nguyen, M., Kuppig, S., **Reth, M.**, Shore, GC. (2002). The procaspase-8 isoform, procaspase-8L, recruited to the BAP31 complex at the endoplasmic reticulum. *Proc Natl Acad Sci U S A* 99: 4331-4336.

Brummer, T., Shaw, P. E., **Reth, M.**, and Misawa, Y. (2002). Inducible gene deletion reveals different roles for B-Raf and Raf-1 in B-cell antigen receptor signalling. *Embo J* 21, 5611-5622.

Huber, M., Kalesnikoff, J., **Reth, M.**, and Krystal, G. (2002). The role of SHIP in mast cell degranulation and IgE-induced mast cell survival. *Immunol Lett* 82, 17-21.

Pelanda, R., Hobeika, E., Kurokawa, T., Zhang, Y., Kuppig, S., **Reth, M.** (2002). Cre recombinase-controlled expression of the mb-1 allele. *Genesis* 32: 154-157.

Pelanda, R., Braun, U., Hobeika, E., Nussenzweig, M. C., and **Reth, M.** (2002). B cell progenitors are arrested in maturation but have intact VDJ recombination in the absence of Ig-alpha and Ig-beta. *J Immunol* 169, 865-872.

Pracht, C., Gimborn, K., **Reth, M.**, and Huber, M. (2002). BCR mutants deficient in ligand-independent and more sensitive for ligand-dependent signaling. *Eur J Immunol* 32, 1614-1620.

Rolli, V., Gallwitz, M., Wossning, T., Flemming, A., Schamel, W. W., Zurn, C., and **Reth, M.** (2002). Amplification of B cell antigen receptor signaling by a Syk/ITAM positive feedback loop. *Mol Cell* 10, 1057-1069.

Adachi, T., Wienands, J., Wakabayashi, C., Yakura, H., **Reth, M.**, Tsubata, T. (2001). SHP-1 requires inhibitory co-receptors to down-modulate B cell antigen receptor-mediated phosphorylation of cellular substrates. *J Biol Chem* 276: 26648-26655.

Fujimori, A., Tachiiri, S., Sonoda, E., Thompson, L. H., Dhar, P. K., Hiraoka, M., Takeda, S., Zhang, Y., **Reth, M.**, and Takata, M. (2001). Rad52 partially substitutes for the Rad51 paralog XRCC3 in maintaining chromosomal integrity in vertebrate cells. *Embo J* 20, 5513-5520.

Jumaa, H., Mitterer, M., **Reth, M.**, and Nielsen, P. J. (2001). The absence of SLP65 and Btk blocks B cell development at the preB cell receptor-positive stage. *Eur J Immunol* 31, 2164-2169.

Lambert, G., Becker, B., Schreiber, R., Boucherot, A., **Reth, M.**, and Kunzelmann, K. (2001). Control of cystic fibrosis transmembrane conductance regulator expression by BAP31. **J Biol Chem** 276, 20340-20345.

Morimura, T., Goitsuka, R., Zhang, Y., Saito, I., **Reth, M.**, Kitamura, D. (2000). Cell cycle arrest and apoptosis induced by Notch1 in B cells. **J Biol Chem** 275: 36523-36531.

Muller, R., Wienands, J., **Reth, M.** (2000). The serine and threonine residues in the Ig-alpha cytoplasmic tail negatively regulate immunoreceptor tyrosine-based activation motif-mediated signal transduction. **Proc Natl Acad Sci U S A** 97: 8451-8454.

Reth, M., Wienands, J., Schamel, WW. (2000). An unsolved problem of the clonal selection theory and the model of an oligomeric B-cell antigen receptor. **Immunol Rev** 176: 10-18.

Schamel, WW., **Reth, M.** (2000). Stability of the B cell antigen receptor complex. **Mol Immunol** 37: 253-259.

Schamel, WW., **Reth, M.** (2000). Monomeric and oligomeric complexes of the B cell antigen receptor. **Immunity** 13: 5-14.

Jumaa, H., Wollscheid, B., Mitterer, M., Wienands, J., **Reth, M.**, Nielsen, PJ. (1999). Abnormal development and function of B lymphocytes in mice deficient for the signaling adaptor protein SLP-65. **Immunity** 11: 547-554.

Reth, M., Wienands, J. (1999). The maintenance and the activation signal of the B-cell antigen receptor. **Cold Spring Harb Symp Quant Biol** 64: 323-328.

Su, YW., Zhang, Y., Schweikert, J., Koretzky, GA., **Reth, M.**, Wienands, J. (1999). Interaction of SLP adaptors with the SH2 domain of Tec family kinases. **Eur J Immunol** 29: 3702-3711.

Verrou, C., Zhang, Y., Zurn, C., Schamel, WW., **Reth, M.** (1999). Comparison of the tamoxifen regulated chimeric Cre recombinases MerCreMer and CreMer. **Biol Chem** 380: 1435-1438.

Wollscheid, B., Wienands, J., **Reth, M.** (1999). The adaptor protein SLP-65/BLNK controls the calcium response in activated B cells. **Curr Top Microbiol Immunol** 246: 283-288.

Wollscheid, B., **Reth, M.**, Wienands, J. (1999). Characterization of the B cell-specific adaptor SLP-65 and other protein tyrosine kinase substrates by two-dimensional gel electrophoresis. **Immunol Lett** 68: 95-99.

Adachi, T., Flaswinkel, H., Yakura, H., **Reth, M.**, Tsubata, T. (1998). The B cell surface protein CD72 recruits the tyrosine phosphatase SHP-1 upon tyrosine phosphorylation. **J Immunol** 160: 4662-4665.

Bauch, A., Campbell, KS., **Reth, M.** (1998). Interaction of the CD5 cytoplasmic domain with the Ca²⁺/calmodulin-dependent kinase II δ . **Eur J Immunol** 28: 2167-2177.

Wienands, J., Schweikert, J., Wollscheid, B., Jumaa, H., Nielsen, PJ., **Reth, M.** (1998). SLP-65: a new signaling component in B lymphocytes which requires expression of the antigen receptor for phosphorylation. **J Exp Med** 188: 791-795.

Zhang, Y., Wienands, J., Zurn, C., **Reth, M.** (1998). Induction of the antigen receptor expression on B lymphocytes results in rapid competence for signaling of SLP-65 and Syk. **Embo J** 17: 7304-7310.

Annaert, WG., Becker, B., Kistner, U., **Reth, M.**, Jahn, R. (1997). Export of cellubrevin from the endoplasmic reticulum is controlled by BAP31. **J Cell Biol** 139: 1397-1410.

Reth, M., Wienands, J. (1997). Initiation and processing of signals from the B cell antigen receptor. **Annu Rev Immunol** 15: 453-479.

Weiser, P., Muller, R., Braun, U., **Reth, M.** (1997). Endosomal targeting by the cytoplasmic tail of membrane immunoglobulin. **Science** 276: 407-409.

Adachi, T., Schamel, WW., Kim, KM., Watanabe, T., Becker, B., Nielsen, PJ., **Reth, M.** (1996). The specificity of association of the IgD molecule with the accessory proteins BAP31/BAP29 lies in the IgD transmembrane sequence. **Embo J** 15: 1534-1541.

Bewarder, N., Weinrich, V., Budde, P., Hartmann, D., Flaswinkel, H., **Reth, M.**, Frey, J. (1996). In vivo and in vitro specificity of protein tyrosine kinases for immunoglobulin G receptor (Fc γ RII) phosphorylation. **Mol Cell Biol** 16: 4735-4743.

Grant, PA., Andersson, T., Neurath, MF., Arulampalam, V., Bauch, A., Muller, R., **Reth, M.**, Pettersson, S. (1996). A T cell controlled molecular pathway regulating the IgH locus: CD40-mediated activation of the IgH 3' enhancer. **Embo J** 15: 6691-6700.

Lund, FE., Yu, N., Kim, KM., **Reth, M.**, Howard, MC. (1996). Signaling through CD38 augments B cell antigen receptor (BCR) responses and is dependent on BCR expression. **J Immunol** 157: 1455-1467.

Torres, RM., Flaswinkel, H., **Reth, M.**, Rajewsky, K. (1996). Aberrant B cell development and immune response in mice with a compromised BCR complex. **Science** 272: 1804-1808.

Wienands, J., Larbolette, O., **Reth, M.** (1996). Evidence for a preformed transducer complex organized by the B cell antigen receptor. **Proc Natl Acad Sci U S A** 93: 7865-7870.

Zhang, Y., Riesterer, C., Ayrall, AM., Sablitzky, F., Littlewood, TD., **Reth, M.** (1996). Inducible site-directed recombination in mouse embryonic stem cells. **Nucleic Acids Res** 24: 543-548.

Apel, TW., Scherer, A., Adachi, T., Auch, D., Ayane, M., **Reth, M.** (1995). The ribose 5-phosphate isomerase-encoding gene is located immediately downstream from that encoding murine immunoglobulin kappa. **Gene** 156: 191-197.

Flaswinkel, H., Barner, M., **Reth, M.** (1995). The tyrosine activation motif as a target of protein tyrosine kinases and SH2 domains. **Semin Immunol** 7: 21-27.

Kim, KM., **Reth, M.** (1995). Function of B-cell antigen receptor of different classes. **Immunol Lett** 44: 81-85.

Kim, KM., **Reth, M.** (1995). The B cell antigen receptor of class IgD induces a stronger and more prolonged protein tyrosine phosphorylation than that of class IgM. **J Exp Med** 181: 1005-1014.

Kim, KM., **Reth, M.** (1995). Signaling difference between class IgM and IgD antigen receptors. **Ann N Y Acad Sci** 766: 81-88.

Reth, M. (1995). The B-cell antigen receptor complex and co-receptors. **Immunol Today** 16: 310-313.

Reth, M. (1995). Immunodeficiency. Trapping the nude mouse gene. **Curr Biol** 5: 18-20.

Yao, XR., Flaswinkel, H., **Reth, M.**, Scott, DW. (1995). Immunoreceptor tyrosine-based activation motif is required to signal pathways of receptor-mediated growth arrest and apoptosis in murine B lymphoma cells. **J Immunol** 155: 652-661.

Flaswinkel, H., Weiser, P., Kim, KM., **Reth, M.** (1994). Signaling and internalisation function of the B cell antigen receptor complex. **Adv Exp Med Biol** 365: 1-8.

Flaswinkel, H., **Reth, M.** (1994). Dual role of the tyrosine activation motif of the Ig-alpha protein during signal transduction via the B cell antigen receptor. **Embo J** 13: 83-89.

Kim, KM., Adachi T., Nielsen, PJ., Terashima, M., Lamers, MC., Kohler, G., **Reth, M.** (1994). Two new proteins preferentially associated with membrane immunoglobulin D. **Embo J** 13: 3793-3800.

Reth, M. (1994). B cell antigen receptors. **Curr Opin Immunol** 6: 3-8.

Terashima, M., Kim, KM., Adachi, T., Nielsen, PJ., **Reth, M.**, Kohler, G., Lamers, MC. (1994). The IgM antigen receptor of B lymphocytes is associated with prohibitin and a prohibitin-related protein. **Embo J** 13: 3782-3792.

Weiser, P., Riesterer, C., **Reth, M.** (1994). The internalization of the IgG2a antigen receptor does not require the association with Ig-alpha and Ig-beta but the activation of protein tyrosine kinases does. **Eur J Immunol** 24: 665-671.

Alber, G., Kim, KM., Weiser, P., Riesterer, C., Carsetti, R., **Reth, M.** (1993). Molecular mimicry of the antigen receptor signalling motif by transmembrane proteins of the Epstein-Barr virus and the bovine leukaemia virus. **Curr Biol** 3: 333-339.

Kim, KM., Alber, G., Weiser, P., **Reth, M.** (1993). Differential signaling through the Ig-alpha and Ig-beta components of the B cell antigen receptor. **Eur J Immunol** 23: 911-916.

Kim, KM., Alber, G., Weiser, P., **Reth, M.** (1993). Signalling function of the B-cell antigen receptors. **Immunol Rev** 132: 125-146.

Flaswinkel, H., **Reth, M.** (1992). Molecular cloning of the Ig-alpha subunit of the human B-cell antigen receptor complex. **Immunogenetics** 36: 266-269.

Kudo, A., Thalmann, P., Sakaguchi, N., Davidson, WF., Pierce, JH., Kearney, JF., **Reth, M.**, Rolink, A., Melchers, F. (1992). The expression of the mouse VpreB/lambda 5 locus in transformed cell lines and tumors of the B lineage differentiation pathway. **Int Immunol** 4: 831-840.

Reth, M. (1992). Antigen receptors on B lymphocytes. **Annu Rev Immunol** 10: 97-121.

Tsubata, T., Tsubata, R., **Reth, M.** (1992). Crosslinking of the cell surface immunoglobulin (mu-surrogate light chains complex) on pre-B cells induces activation of V gene rearrangements at the immunoglobulin kappa locus. **Int Immunol** 4: 637-641.

Wienands, J., **Reth, M.** (1992). Glycosyl-phosphatidylinositol linkage as a mechanism for cell-surface expression of immunoglobulin D. **Nature** 356: 246-248.

Reth, M., Wienands, J., Tsubata, T., Hombach, J. (1991). Identification of components of the B cell antigen receptor complex. **Adv Exp Med Biol** 292: 207-214.

Reth, M., Hombach, J., Wienands, J., Campbell, KS., Chien, N., Justement, LB., Cambier, JC. (1991). The B-cell antigen receptor complex. **Immunol Today** 12: 196-201.

Reth, M. (1991). Signal transduction in B cells. **Curr Opin Immunol** 3: 340-344.

Reth, M. (1991). Regulation of B-cell development by pre-B-cell receptors. **Curr Biol** 1: 198-199.

Tsubata, T., Tsubata, R., **Reth, M.** (1991). Cell surface expression of the short immunoglobulin mu chain (D mu protein) in murine pre-B cells is differently regulated from that of the intact mu chain. **Eur J Immunol** 21: 1359-1363.

Wienands, J., **Reth, M.** (1991). The B cell antigen receptor of class IgD can be expressed on the cell surface in two different forms. **Eur J Immunol** 21: 2373-2378.

Auch, D., **Reth, M.** (1990). Exon trap cloning: using PCR to rapidly detect and clone exons from genomic DNA fragments. **Nucleic Acids Res** 18: 6743-6744.

Hombach, J., Tsubata, T., Leclercq, L., Stappert, H., **Reth, M.** (1990). Molecular components of the B-cell antigen receptor complex of the IgM class. **Nature** 343: 760-762.

Hombach, J., Lottspeich, F., **Reth, M.** (1990). Identification of the genes encoding the IgM-alpha and Ig-beta components of the IgM antigen receptor complex by amino-terminal sequencing. **Eur J Immunol** 20: 2795-2799.

Justement, LB., Wienands, J., Hombach, J., **Reth, M.**, Cambier, JC. (1990). Membrane IgM and IgD molecules fail to transduce Ca²⁺ mobilizing signals when expressed on differentiated B lineage cells. **J Immunol** 144: 3272-3280.

Muller, B., Stappert, H., **Reth M.** (1990). A physical map and analysis of the murine C kappa-RS region show the presence of a conserved element. **Eur J Immunol** 20: 1409-1411.

Tsubata, T., **Reth, M.** (1990). The products of pre-B cell-specific genes (lambda 5 and VpreB) and the immunoglobulin mu chain form a complex that is transported onto the cell surface. **J Exp Med** 172: 973-976.

Wienands, J., Hombach, J., Radbruch, A., Riesterer, C., **Reth, M.** (1990). Molecular components of the B cell antigen receptor complex of class IgD differ partly from those of IgM. **Embo J** 9: 449-455.

Leclercq, L., Butkeraitis, P., **Reth, M.** (1989). A novel germ-line JK transcript starting immediately upstream of JK1. **Nucleic Acids Res** 17: 6809-6819.

Muller, W., Ruther, U., Vieira, P., Hombach, J., **Reth, M.**, Rajewsky, K. (1989). Membrane-bound IgM obstructs B cell development in transgenic mice. **Eur J Immunol** 19: 923-928.

Reth, M. (1989). Antigen receptor tail clue. **Nature** 338: 383-384.

Hombach, J., Sablitzky, F., Rajewsky, K., **Reth, M.** (1988). Transfected plasmacytoma cells do not transport the membrane form of IgM to the cell surface. **J Exp Med** 167: 652-657.

Hombach, J., Leclercq, L., Radbruch, A., Rajewsky, K., **Reth, M.** (1988). A novel 34-kd protein co-isolated with the IgM molecule in surface IgM-expressing cells. **Embo J** 7: 3451-3456.

Muller, B., **Reth, M.** (1988). Ordered activation of the Ig lambda locus in Abelson B cell lines. **J Exp Med** 168: 2131-2137.

Reth, M., Petrac, E., Wiese, P., Lobel, L., Alt, FW. (1987). Activation of V kappa gene rearrangement in pre-B cells follows the expression of membrane-bound immunoglobulin heavy chains. **Embo J** 6: 3299-3305.

Alt, FW., **Reth, MG.**, Blackwell, TK., Yancopoulos, GD. (1986). Regulation of immunoglobulin variable-region gene assembly. **Mt Sinai J Med** 53: 166-169.

Alt, FW., Blackwell, TK., DePinho, RA., **Reth, MG.**, Yancopoulos, GD. (1986). Regulation of genome rearrangement events during lymphocyte differentiation. **Immunol Rev** 89: 5-30.

Reth, MG., Jackson, S., Alt, FW. (1986). VHDJH formation and DJH replacement during pre-B differentiation: non-random usage of gene segments. **Embo J** 5: 2131-2138.

Reth, M., Gehrmann, P., Petrac, E., Wiese, P. (1986). A novel VH to VHDJH joining mechanism in heavy-chain-negative (null) pre-B cells results in heavy-chain production. **Nature** 322: 840-284.

Reth, MG., Ammirati, P., Jackson, S., Alt, FW. (1985). Regulated progression of a cultured pre-B-cell line to the B-cell stage. **Nature** 317: 353-355.

Rajnavolgyi, E., **Reth, M.**, Uher, F., Miklos, K., Gergely, J., Rajewsky, K. (1984). Fc-dependent effector functions of idiotype-anti-idiotype immune complexes. **Mol Immunol** 21: 127-136.

Reth, MG., Alt, FW. (1984). Novel immunoglobulin heavy chains are produced from DJH gene segment rearrangements in lymphoid cells. **Nature** 312: 418-423.

Beyreuther, K., Bovens, J., Bruggemann, M., Dildrop, R., Kelsoe, G., Krawinkel, U., Muller, C., Nishikawa, S., Radbruch, A., **Reth, M.**, et al. (1983). Idiotypic determinants used in the analysis of antibody diversification and as regulatory targets. **Ann N Y Acad Sci** 418: 121-129.

Bothwell, AL., Paskind, M., **Reth, M.**, Imanishi-Kari, T., Rajewsky, K., Baltimore, D. (1982). Somatic variants of murine immunoglobulin lambda light chains. **Nature** 298: 380-382.

Takemori, T., Tesch, H., **Reth, M.**, Rajewsky, K. (1982). The immune response against anti-idiotope antibodies. I. Induction of idiotope-bearing antibodies and analysis of the idiotope repertoire. **Eur J Immunol** 12: 1040-1046.

Bothwell, AL., Paskind, M., **Reth, M.**, Imanishi-Kari, T., Rajewsky, K., Baltimore, D. (1981). Heavy chain variable region contribution to the NPb family of antibodies: somatic mutation evident in a gamma 2a variable region. **Cell** 24: 625-637.

Kelsoe, G., **Reth, M.**, Rajewsky, K. (1981). Control of idiotope expression by monoclonal anti-idiotope and idiotope-bearing antibody. **Eur J Immunol** 11: 418-423.

Reth, M., Kelsoe, G., Rajewsky, K. (1981). Idiotypic regulation by isologous monoclonal anti-idiotope antibodies. **Nature** 290: 257-259.

Coutinho, A., Forni, L., Martinez, AC., Bernabe, RR., Larsson, EL., **Reth, M.**, Augustin, AA., Cazenave, PA. (1980). Indications for an internal regulation in the immune system. **Prog Clin Biol Res** 42: 279-293.

Kelsoe, G., **Reth, M.**, Rajewsky, K. (1980). Control idiotope expression by monoclonal anti-idiotope antibodies. **Immunol Rev** 52: 75-88.

Reth, M., Imanishi-Kari, T., Rajewsky, K. (1979). Analysis of the repertoire of anti-(4-hydroxy-3-nitrophenyl)acetyl (NP) antibodies in C 57 BL/6 mice by cell fusion. II. Characterization of idiotopes by monoclonal anti-idiotope antibodies. **Eur J Immunol** 9: 1004-1013.

Imanshi-Kari, T., **Reth, M.**, Hammerling, GJ., Rajewsky, K. (1978). Analysis of V gene expression in the immune response by cell fusion. **Curr Top Microbiol Immunol** 81: 20-26.

Reth, M., Hammerling, GJ., Rajewsky, K. (1978). Analysis of the repertoire of anti-NP antibodies in C57BL/6 mice by cell fusion. I. Characterization of antibody families in the primary and hyperimmune response. **Eur J Immunol** 8: 393-400.

Reviews

Reth, M. and Dick, T.P. (2010). Voltage control of B cell activation. **Nat Immunol** 11(3), 191-92.

Herzog, S., **Reth, M.**, and Jumaa, H. (2009). Regulation of B-cell proliferation and differentiation by pre-B cell receptor signalling. **Nat Rev Immunol** 9(3): 195-205.

Schraven, B., and **Reth, M.** (2007). Immunoreceptors and Integrins, **Immunol Rev** 218: 5-8.

Jumaa, H., Hendriks, R. W., and **Reth, M.** (2005). B cell signaling and tumorigenesis. **Annu Rev Immunol** 23, 415-445.

Brummer, T., Elis, W., **Reth, M.**, and Huber, M. (2004a). B-cell signal transduction: tyrosine phosphorylation, kinase activity, and calcium mobilization. **Methods Mol Biol** 271, 189-212.

Reth, M., and Brummer, T. (2004). Feedback regulation of lymphocyte signalling. **Nat Rev Immunol** 4, 269-277.

Smith, S. H., and **Reth, M.** (2004). Perspectives on the nature of BCR-mediated survival signals. **Mol Cell** 14, 696-697.

Zencak, Z., **Reth, M.**, Oehme, M. (2004). Determination of total polychlorinated n-alkane concentration in biota by electron ionization-MS/MS. **Anal Chem** 76: 1957-1962.

Reth, M. (2002). Hydrogen peroxide as second messenger in lymphocyte activation. **Nat Immunol** 3, 1129-1134.

Reth, M. (2001). Oligomeric antigen receptors: a new view on signaling for the selection of lymphocytes. **Trends Immunol** 22, 356-360.